REMINGTON PETERS

1969 Sporting Firearms and Ammunition



THE OLDEST GUNMAKERS IN AMERICA PRESENT THE NEWEST GUNS

Remington

PETERS

DU PONT

"Black Ducks on a River Float" —and the man who painted them.



Since 1949, Remington has enjoyed receiving many letters of appreciation for the work of wildlife artist, Bob Kuhn. Shooters everywhere recognize in Kuhn's paintings the sure and instinctive touch of a real artist-hunter . . . or hunter-artist. Annually, we get countless requests for reproductions of our catalog cover by this artist, and this year we decided to make them available in a limited edition. "Black Ducks on a River Float"—Robert Kuhn —Full Color—20″x16″— Attractive reproduction on artist canvas, individually hand mounted on wood stretcher, appropriately framed—*9.50 post-paid. Address: STUDIO REPRODUCTIONS, REMINGTON ARMS OF CANADA LIMITED, P. O. BOX 171, TORONTO 18, ONTARIO.

TABLE OF CONTENTS

REMINGTON FIREARMS

SHOTGUNS	Pages
Automatic Model 1100, Pump Action Model 870 "Wingmaster" (28 & 410 Ga.)	4, 5
Automatic Model 1100 (12, 16, 20 Ga.)	6, 7
Pump Action Model 870 "Wingmaster" (12, 16, 20 Ga.)	8, 9
Specifications—All Models 1100, 870	10, 11
CENTER FIRE RIFLES	
Bolt Action Model 700	12, 13
Bolt Action Model 788	14, 15
Bolt Action Model 660 and 660 Magnum	14, 15
Bolt Action Model XP-100	15
Automatic Model 742 "Woodsmaster"	16, 17
Pump Action Model 760 "Gamemaster"	16, 17
Specifications — Models 700, 788, 660, 742, 760	18, 19
RIM FIRE RIFLES	
Bolt Action Models 580, 581, 582	20, 21
Bolt Action Model 514	20, 21
Automatic Nylon 66	22, 23
Automatic Model 552 "Speedmaster"	22, 23
Automatic Model 550	22, 23
Pump Action Model 572 "Fieldmaster"	22, 23
TARGET RIFLES	
Bolt Action Model 40XB "Rangemaster"	24, 25
Bolt Action International Free Rifle	24, 25
Bolt Action Model 540XB	24, 25
Specifications — Models 580, 581, 582, 514, Nylon 66, 550, 552, 572, 540XB, 40XB	26, 27

REMINGTON-PETERS AMMUNITION

	Pages
Shotgun Shells	28–31
Suggested Shot Sizes for Game	29
Shot Sizes	30
Center Fire "Core-Lokt" & "Power-Lokt"	32, 33
Caliber Suggestions	32, 33
Interchangeability Chart	33
Center Fire Rifle Cartridges	34–39
Center Fire Pistol & Revolver Cartridges	40, 41
Pistol & Revolver Bullet Types	40, 41
Ammunition Components	42
Rim Fire Cartridges	43

REMINGTON TRAPS

	Pages
Trap & Skeet Equipment	30, 31

The cover and the framed illustrations on firearms pages were done by Bob Kuhn, well-known wildlife artist and sportsman.

NOTE—All prices contained in this catalog are suggested retail prices.

Remington Firearms Pages 4-27







Remington-Peters Ammunition Pages 28-43



NEW for 1969. . . 28 and 410 Gauge Now Available in Remington Model 1100 Automatic Shotgun – Remington Model 870 "Wingmaster" Pump Action Shotgun

Complete Specifications on Pages 10 and 11

HERE, AT LAST, ARE THE TWO REMINGTON SHOTGUNS MOST REQUESTED BY SHOOTERS FROM ALL OVER THE WORLD.

Built on its own receiver frame and copied after the famous 1100 automatic and 870 "Wingmaster" these light weight small gauge models with extra soft recoil are just the ticket for a light field gun, teaching a woman or youngster to shoot, or banging away on the skeet field. These new models will surely satisfy the keen desire of a true sportsman who enjoys the competitive challenge of shooting small gauge guns.

Model 1100 Automatic 28 and 410 Gauges

Priced from $215.25

The Model 1100 needs no introduction to sportsmen. For the past five years its dependability, light recoil, and attractive appearance has made it the top favorite with shooters.

Now, the world's most popular small gauges, the 28 and 410, are members of the 1100 line.

For the first time ever, Remington is offering a proven and dependable gas-operated automatic in all five gauges, 12, 16, 20, 28, and 410. The 410 gauge field grade will handle 3″ shotgun shells only. With the addition of the 28 and 410 gauges, it is now possible to own five guns with the look, feel, and balance of one.

Model 1100 field grade 28 and 410 gauge guns will be supplied with mahogany stocks and fore-ends (for extra light weight), and plain or ventilated rib barrels.

Model 870 "Wingmaster" Pump Action 28 and 410 Gauges

Priced from $147.75

1969 marks the 20th year the Model 870 pump has been in continuous production at the Remington Arms Co. While some changes have been made in the Model 870, over the years, our engineers have been unable to improve the basic design of this shotgun.

We're pretty proud that a "Wingmaster" is in the gun cabinets of well over a million sportsmen throughout the world. The addition of 28 and 410 gauges in the 870 pump line will enable current 12, 16, and 20 gauge "Wingmaster" owners to shoot a lighter gun built on its own receiver frame that has the same balance and pointing characteristics of their old favorite.

Designed to handle all 28 gauge and 2½″ and 3″ 410 gauge shotgun shells, the 870 field grade will be available with a plain or ventilated rib barrel and mahogany stock and fore-end for extra light weight. All the features of the old standard 870 "Wingmaster" in heavier gauges have gone into the production of the 28 and 410 gauges. They're fine counter parts of an already proven shotgun.

Models 870 and 1100 Matched Pair Skeet Guns, 28 and 410 Gauges

Priced at $485.95 and $608.95

A matched pair of either Model 1100 or 870 skeet guns in 28 and 410 gauges is now available for the skeet shooter who enjoys the challenge of shooting small gauge guns. Both guns will be supplied in a hard vinyl trunk-type gun case. These guns will be offered with identical matched pair numbers distinctively gilded in golden scroll on the receiver and sure to be collectors' items.

Models 1100 and 870 skeet guns have American walnut stocks and fore-ends and ventilated rib skeet bored barrels (Model 1100 410 ga. skeet guns have 2½″ chambers for improved patterns on the skeet field). Due to the tremendous demand for these models and limited production, 28 & 410 ga. skeet guns will be available as matched pairs only in 1969.



A "Match-Weight Skeet Cap" designed to add between 10½ and 12 ounces to the weight of both the 1100 and 870 is supplied to give the 28 and 410 gauge models the exact feel and balance of the heavier gauges. The cap weighs approximately 10½ ounces, but filled with shot, will weigh approximately 12 ounces.

1 — MODEL 1100, 410 Ga., Full Choke, $246.25 **2 — MODEL 1100, 28 Ga., Mod Choke,** $246.25 **3 — MODEL 870, 410 Ga., Full Choke,** $178.50
4 — MODEL 870, 28 Ga., Mod Choke, $178.50 **5, 6 — MODEL 1100 Matched Pair 410 Ga. and 28 Ga., Skeet,** $608.95 **(Price Includes Twin Gun Case and Match-Weight Skeet Caps.)**

Remington Model 1100 Automatic Shotgun—

12, 16 and 20 Gauges—Priced from $199.95

1 2 3 4 5

Complete Specifications on Pages 10 and 11

THE MODEL 1100 IS THE MOST DEPENDABLE AUTOMATIC SHOTGUN MADE AND THE BIGGEST SELLER IN THE UNITED STATES.

What more can we say other than tell you what hundreds of thousands of 1100 owners already know. Remington automatic shotguns have been manufactured continually since 1905. And, when you've been making anything as long as we've been making automatic shotguns, you learn how to make them right. All the things we've learned down through the years, exist in the Model 1100. We're pretty proud of this model and the excellent reputation it has earned in six short years.

Here are some of the features that have made it the great gun it is:

DEPENDABILITY — In all kinds of weather with all kinds of loads, the 1100 will give you the performance you have come to expect from Remington.



Its gas metering system is designed to operate with all types of shotgun shells making it possible for you to hunt a variety of game with the proper ammunition. This unique design enables the shooter to use all 2¾″ standard velocity, "Express", and 2¾″ magnum loads without any gun adjustments. For long range shots, the 1100 magnum duck gun is just the ticket. It was designed with the waterfowl hunter in mind and will function exclusively with 2¾″ and 3″ magnum shotgun shells.

At the 1968 World's Skeet Shooting Championships, there were more Model 1100s on the firing line than any other shotgun by a wide margin. Also, at last year's Grand American Trapshoot, more trophies were won in the Doubles Target Championship event with 1100 trap guns than any other shotgun. Proof enough competitive shooters put their confidence in the Model 1100. Barrels, within gauge and similar chamber lengths, are interchangeable in seconds, no factory fitting is required. There are 72 different chokes, barrel lengths, and gauge combinations to choose from, when selecting a 12, 16, or 20 gauge Model 1100.

RECOIL — There really isn't much. As a matter of fact, the correct word to use is "push." The 1100 gives up to 40% less "kick" than any other shotgun action. Your shoulder feels a "push" rather than a "punch." The secret is in Remington's system of gas metering which handles recoil slowly and evenly. The power is still there, but your shoulder doesn't feel it. This means more pleasureable shooting hours with less body fatigue, shot after shot after shot.

If you're thinking about buying a new shotgun for your wife or youngster, it makes good sense to select a gun that's a pleasure to shoot. A gun like the 1100.

APPEARANCE — In order to have a best selling product, it must look the part. The 1100 does . . . and for many reasons. The solid steel receiver features decorative scroll work. Its deep rich blue (outside and in) is caused by our unique "vibra-honing" metal finish, an ultra-fine abrasive material resembling green gum drops. Parts operate smoother, glide easier. Fine line checkering in a fleur-de-lis design combined with American Walnut (Mahogany supplied in some light weight 20 gauge models) gives the 1100 the look of a far more expensive gun. The finish is tough and scratch-resistant. It was developed by Du Pont and called RK-W; it's the same finish used on bowling pins. All the wood grain shows through with a rich luster.

White line spacers and a tear drop pistol grip cap do not make the 1100 shoot any better but it gives you that pride of ownership feeling.

1 — MODEL 1100, 12 Ga., 28″ Mod. Choke, $233.75 2 — MODEL 1100, Deer Gun, 12 Ga., $227.75 3 — MODEL 1100 SA, 12 Ga., Skeet, $239.95
4 — MODEL 1100 TB, 12 Ga., Trap, $282.95 5 — MODEL 1100 MAGNUM, Duck Gun, 12 Ga., 30″ Full Choke, $252.25

Remington Model 870 "Wingmaster" Pump Action Shotgun – 12, 16 and 20 Gauges

"ADL grade illustrated—AP grade same specifications except not fitted with recoil pad or with checkering on the stock and fore-end".

IF YOU'RE IN THE MARKET FOR A NEW PUMP SHOTGUN, there are a few things you should keep in mind.

LOOK FOR a gun that has a dependable reputation and good lines. The Model 870 "Wingmaster" is such a gun.

LOOK FOR one that's been in continuous production for a long length of time. After all, you know a product is good if it's been manufactured for 20 years and is still the most preferred product in its class.

Our engineers have been unable to improve its basic design. How can you make America's best selling pump shotgun better? We haven't found a way yet.



LOOK FOR a gun that has a receiver machined from a solid piece of steel. With magnum ammunition you need all the receiver strength you can get. Remington continues to use solid ordnance steel in the manufacture of 870 "Wingmaster" receivers and for that matter all other Remington shotgun receivers, to insure proper performance and utmost safety.

LOOK FOR double action bars (they're the two rails on each side of the fore-end). They permit you to pump the gun twice as smoothly, shot after shot, without the problem of twisting or binding. Double insurance that your gun will feed and eject properly under all shooting conditions.



LOOK FOR a gun that features interchangeable barrels without gunsmith or factory refitting. Chances are, you'll want to use your new gun on different types of game. These requirements are easily satisfied with the purchase of an extra barrel. If this is the case, you have in the Model 870 "Wingmaster" the choice of 17 distinctive barrel lengths and choke combinations in the 12 gauge alone.

LOOK FOR A GUN THAT WILL SHOOT ALL 2¾", standard velocity, "Express", and 2¾" magnum shotgun shells. The owner of an 870, 12 gauge magnum may shoot all 12 gauge shotgun shells without gun modifications — a total of 21 distinct shotgun shell loads with the largest selection of shot sizes. Dollar for dollar, the 870 "Wingmaster" is the most versatile shotgun you can buy.

All 870 "Wingmasters" in field, trap, skeet, deer, and magnum models feature a unique metal finish. We call it "vibra-honing". The result is almost a mirror-like finish on all metal surfaces (both inside and out). Inside, the smoother the action is, the easier it works. Outside, the smoother a base you start with, the deeper and richer the blueing.

LOOK FOR a gun that has a special wood finish. When Remington ships an 870 from its factory, we expect it to be subject to years of rugged use. Not only must the steel be of the highest quality but also the wood. That's why we protect the stock and fore-end with an exclusive Du Pont wood finish called RK-W. This clear finish, similar to that used on bowling pins, is tough, hard and scratch-resistant. It gives lasting protection against hard usage and bad weather.

LOOK FOR the Remington "Wingmaster" at your local dealer.

1 2 3 4 5

Complete Specifications on Pages 10 and 11

1 — MODEL 870, 12 Ga., 30" Full Choke, $166.25 2 — MODEL 870 TC, Monte Carlo, Trap, $319.95 3 — MODEL 870, 12 Ga., "Brushmaster", $159.95
4 — MODEL 870, 12 Ga., 26" Imp. Cyl. Choke, $166.25 5 — MODEL 870 MAGNUM, Duck Gun, 12 Ga., 30" Full Choke, $190.75

MODEL 870AP Grade, 12 Ga., Plain, Suggested Retail Price, $104.95 MODEL 870AP Grade, 12 Ga., Vent Rib, Suggested Retail Price, $134.95

REMINGTON SHOTGUNS Order Numbers, Prices and Specifications

USE NUMBERS FOR ACCURATE ORDERING

NEW Model 1100
28 and 410 Gauges

SPECIFICATIONS: STYLE — Gas operated. 5 shot capacity with 28 ga. shells — 4 shot capacity with 3" - 410 ga. shells. 3 shot plug furnished. **BARREL** — Special Remington ordnance steel. Extra barrels interchangeable within gauge. **CHAMBER** — 2½" in 410 ga. skeet; 3" shells only in field grades; 2¾" in 28 ga. field and skeet models. **OVER-ALL LENGTH** — 45½". **SAFETY** — Convenient cross-bolt type. **RECEIVER** — Made from solid steel, top matted, scroll work on bolt and both sides of receiver. **STOCK DIMENSIONS,** mahogany in field grades and walnut in matched skeet pairs, — 14" long, 2½" drop at heel, 1½" drop at comb. **AVERAGE WEIGHT** — 28 ga. skeet - 6¾ lbs.; 410 ga. skeet - 7¼ lbs. (adjustable weight will add up to 12 oz. in skeet guns); 28 ga. plain barrel - 6¼ lbs.; 410 ga. plain barrel - 6¾ lbs.; 28 ga. vent. rib - 6½ lbs.; 410 ga. vent. rib - 7 lbs.

Model 1100
12, 16 and 20 Gauges

SPECIFICATIONS: STYLE — 5 shot gas operated shotgun. 3 shot plug furnished. **GAUGE** — Made in 12, 16 and 20 gauge. **BARREL** — Special Remington ordnance steel. Extra barrel is interchangeable within gauge. **OVER-ALL LENGTH** — 48" (with 28" Barrel). **SAFETY** — Convenient cross-bolt type. **RECEIVER** — Made from solid steel, top matted, scroll work on bolt and both sides of receiver. **STANDARD STOCK DIMENSIONS** — Stock and fore-end: Rich American walnut. 14" long, 2½" drop at heel, 1½" drop at comb. Trap reg., 14⅜" long, 1¾" drop at heel, 1⅜" drop at comb. Monte Carlo, 14⅜" long, 1¾" drop at heel, 1¼" drop at comb, 1¼" drop at M.C. **AVERAGE WEIGHT** — 12 ga. - 7½ lbs., 16 ga. - 7¼ lbs., 20 ga. - 7 lbs.

NEW Model 870
28 and 410 Gauges

SPECIFICATIONS: STYLE — Pump Action. 5 shot capacity with 28 ga. and 2½" - 410 ga. shells — 4 shot capacity with 3" - 410 ga. shells. Take down. 3 shot plug furnished. **BARREL** — Special Remington ordnance steel. Extra barrels interchangeable within gauge. **CHAMBER** — 3" in 410 ga.; 2¾" in 28 ga. **OVER-ALL LENGTH**—45½". **SAFETY**—Convenient cross-bolt type. **RECEIVER** — Made from solid steel, top matted. **STOCK DIMENSIONS,** mahogany in field grades and walnut in matched skeet pairs, — 14" long, 2½" drop at heel, 1⅝" drop at comb. **AVERAGE WEIGHT** — 28 ga. skeet - 6 lbs.; 410 ga. skeet - 6¼ lbs. (adjustable weight will add up to 12 oz. in skeet guns); 28 ga. plain barrel - 5½ lbs.; 410 ga. plain barrel - 5¾ lbs.; 28 ga. vent. rib - 5¾ lbs.; 410 ga. vent. rib - 6 lbs.

Model 870
12, 16 and 20 Gauges

SPECIFICATIONS: STYLE — 5 shot pump action shotgun. Take down. 3 shot plug furnished. **GAUGES** — 12, 16 and 20. **BARREL** — Special Remington ordnance steel. Extra barrel is interchangeable within gauge. **OVER-ALL LENGTH** — 48½" with 28" barrel. **SAFETY** — Convenient cross-bolt type, positive. **RECEIVER** — Made from solid steel, top matted. **STANDARD STOCK DIMENSIONS** — Stock and fore-end: Rich American walnut. Beautiful checkering. 14" long, 2½" drop at heel, 1⅝" drop at comb. Trap reg., 14⅜" long, 1⅞" drop at heel, 1½" drop at comb. Monte Carlo, 14⅜" long, 1⅞" drop at heel, 1⅜" drop at comb, 1⅜" drop at M.C. **AVERAGE WEIGHT** — 12 ga. - 7 lbs.; 16 ga. - 6¾ lbs.; 20 ga. - 6½ lbs.

Gauges, Barrel Lengths and Chokes

NEW Model 1100
28 and 410 Gauges

	Order Nos. 28 Ga.	Order Nos. 410 Ga.	Retail Prices
Model 1100 with Plain Barrel			
25" Full Choke	5316	5460	$215.25
25" Mod. Choke	5406	5462	
25" Imp. Cyl. Choke	5412	5464	
Model 1100 with Vent. Rib Barrel			
25" Full Choke	5414	5466	$246.25
25" Mod. Choke	5416	5468	
25" Imp. Cyl. Choke	5426	5296	
Model 1100 Matched Pair Skeet			
28 ga. and 410 ga. with Gun Case	5258		$608.95

Model 1100
12, 16 and 20 Gauges

	Order Nos. 12 Ga.	16 Ga.	20 Ga. Wal.	20 Ga. Mah.	Retail Prices
Model 1100 with Plain Barrel					
30" Full Choke	5322		5390	5440	$199.95
28" Full Choke	5320	5370	5394	5442	
28" Mod. Choke	5326	5374	5396	5446	
26" Imp. Cyl. Choke	5328	5376			
NEW 22" Imp. Cyl. Deer Gun	5308 with Rifle Sights		5260		$227.75
Model 1100 with Vent. Rib Barrel					
30" Full Choke	5332		5398	5450	$233.75
28" Full Choke	5330	5378	5402	5452	
28" Mod. Choke	5336	5382	5404	5456	
26" Imp. Cyl. Choke	5338	5384			
Model 1100 Magnum with Plain Barrel					
30" Full Choke	5344		5428		$221.50
28" Full Choke					
Model 1100 Magnum with Vent. Rib Barrel					
30" Full Choke	5348		5430		$252.25
28" Full Choke					
Model 1100 D with Vent. Rib Barrel	Special				
Model 1100 F with Vent. Rib Barrel	Special				
Model 1100 SA Skeet with Vent. Rib Barrel			Wal.	Mah.	
26" Skeet Choke	5356		5408	5438	$239.95
26" with Cutts Comp.	5358		5410		
Model 1100 SB with Vent. Rib Barrel (Better Wood)					
26" Skeet Choke	5302		5422		$270.75
Model 1100 TB Trap with Vent. Rib Barrel					
30" Full Choke	5350				$282.95
NEW 30" Mod. Trap Choke	5288				
28" Full Choke	5352				
28" Mod. Choke	5354				
30" Full Choke with Monte Carlo Stock	5306				$295.25
NEW 30" Mod. Trap Choke with Monte Carlo Stock	5290				
28" Full Choke with Monte Carlo Stock	5314				
28" Mod. Choke with Monte Carlo Stock	5318				

NEW Model 870
28 and 410 Gauges

	Order Nos. 28 Ga.	Order Nos. 410 Ga.	Retail Prices
Model 870 with Plain Barrel			
25" Full Choke	4868	4948	$147.75
25" Mod. Choke	4904	4950	
25" Imp. Cyl. Choke	4916	4978	
Model 870 with Vent. Rib Barrel			
25" Full Choke	4918	4986	$178.50
25" Mod. Choke	4920	5086	
25" Imp. Cyl. Choke	4932	4990	
Model 870 Matched Pair Skeet			
28 ga. and 410 ga. with Gun Case	5120		$485.95

Model 870
12, 16 and 20 Gauges

	Order Nos. 12 Ga.	16 Ga.	20 Ga.	Retail Prices
Model 870 with Plain Barrel				
30" Full Choke	5046			$ 135.25
28" Full Choke	5048	5056	5064	
28" Mod. Choke	5050	5058	5066	
26" Imp. Cyl. Choke	5054	5062	5070	
NEW 20" "Brushmaster" Deluxe	4988	with Rifle Sights	4852	$ 159.95
20" "Brushmaster" Standard	5026			$ 135.25
Model 870 with Vent. Rib Barrel				
30" Full Choke	5196			$ 166.25
28" Full Choke	5198	5206	5214	
28" Mod. Choke	5200	5208	5216	
26" Imp. Cyl.	5204	5212	5220	
Model 870 D with Vent. Rib Barrel	Special			
Model 870 F with Vent. Rib Barrel	Special			
Model 870 Magnum with Plain Barrel				
30" Full Choke	4872			$ 159.95
28" Full Choke			5176	
Model 870 Magnum with Vent. Rib Barrel				
30" Full Choke	4922			$ 190.75
28" Full Choke			5146	
Model 870 Police (Plain Barrel)				
20" Cyl. Choke	5030			$ 122.95
18" Cyl. Choke	5032			
20" Imp. Cyl. Choke, Rifle Sights	5028			$ 135.25
Model 870 SA Skeet with Vent. Rib				
26" Skeet Choke	5128		5132	$ 172.25
26" with Cutts Comp.	5130		5134	
Model 870 SC Skeet with Vent. Rib				
26" Skeet Choke	5136		5140	$ 264.50
Model 870 TB Trap with Vent. Rib				
30" Full Choke	4926			$ 215.25
NEW 30" Mod. Trap Choke	5006			
28" Full Choke	4928			
28" Mod. Choke	4930			
30" Full Choke with Monte Carlo Stock	4906			$ 227.75
NEW 30" Mod. Trap Choke with Monte Carlo Stock	5034			
28" Full Choke with Monte Carlo Stock	4908			
28" Mod. Choke with Monte Carlo Stock	4910			
Model 870 TC Trap with Vent. Rib				
30" Full Choke	4938			$ 307.75
30" Mod. Choke	5036			
28" Full Choke	4940			
28" Mod. Choke	4942			
30" Full Choke with Monte Carlo Stock	4912			$ 319.95
NEW 30" Mod. Trap Choke with Monte Carlo Stock	5044			
28" Full Choke with Monte Carlo Stock	4924			
28" Mod. Choke with Monte Carlo Stock	4874			

Model 1100 – Extra Barrels

		Order Nos. 12 Ga.	16 Ga.	20 Ga.	28 Ga.	410 Ga.	Retail Prices
Extra Barrels, Plain							
30" Full Choke		9500					$ 61.95
28" Full Choke		9502	9530	9546			
NEW 25" Full Choke					9588	9574	$ 65.50
28" Mod. Choke		9504	9532	9548			$ 61.95
NEW 25" Mod. Choke					9510	9576	$ 65.50
26" Imp. Cyl. Choke		9508	9536	9552			$ 61.95
NEW 25" Imp. Cyl. Choke					6584	9578	$ 65.50
NEW 22" Imp. Cyl. Rifle Sights		9568		9572			$ 74.50
Extra Barrels, Vent. Rib.							
30" Full Choke		9512					$ 92.95
28" Full Choke		9514	9538	9554			
NEW 25" Full Choke					6586	9580	$ 96.95
28" Mod. Choke		9516	9540	9556			$ 92.95
NEW 25" Mod. Choke					6588	9582	$ 96.95
26" Imp. Cyl. Choke		9520	9544	9560			$ 92.95
NEW 25" Imp. Cyl. Choke					6590	9584	$ 96.95
Extra Barrels, Vent. Rib Trap & Skeet Grades							
26" Skeet Choke		9522		9562			$ 98.95
26" Skeet Cutts Comp.		9524		9564			
NEW 25" Skeet Choke					6592	9586	$102.50
30" Full Choke	Trap	9526					$ 98.95
NEW 30" Mod. Trap Choke	Trap	9570					
28" Full Choke	Trap	9528					
28" Mod. Choke	Trap	9566					

Model 870 – Extra Barrels

		Order Nos. 12 Ga.	16 Ga.	20 Ga.	28 Ga.	410 Ga.	Retail Prices
Plain Barrel							
30" Full Choke		6214					$48.75
28" Full Choke		6216	6252	6270			
NEW 25" Full Choke					6282	6236	$51.95
28" Mod. Choke		6218	6254	6272			$48.75
NEW 25" Mod. Choke					6284	6238	$51.95
26" Imp. Cyl. Choke		6220	6256	6274			$48.75
NEW 25" Imp. Cyl. Choke					6286	6248	$51.95
20" Cyl. Choke		6598					$48.75
NEW 20" Imp. Cyl. Rifle Sights		6544		6230			$62.95
Vent. Rib Barrel							
30" Full Choke		6222					$80.25
28" Full Choke		6224	6258	6276			
NEW 25" Full Choke					6288	6250	$84.75
28" Mod. Choke		6226	6260	6278			$80.25
NEW 25" Mod. Choke					6290	6264	$84.75
26" Imp. Cyl. Choke		6228	6262	6280			$80.25
NEW 25" Imp. Cyl. Choke					6292	6266	$84.75
Trap & Skeet Grades Vent. Rib Barrels							
30" Full Choke		6242					$83.95
NEW 30" Mod. Trap Choke	Trap	6232					
28" Full Choke	Trap	6244					
28" Mod. Choke	Trap	6246					
26" Skeet SA & SC Grades		6240		6508			
26" SA & SC with Cutts Comp.		6450		6456			
NEW 25" Skeet Choke					6294	6268	$88.75



1 2 3 4

Complete Specifications on Pages 18 and 19

Remington Model 700 Bolt Action Center Fire Rifle Now Available in 15 Versatile Calibers — Priced from $167.95

Again, last year's sales records proved the famous Remington Model 700 bolt action center fire rifle continued to be America's best seller. One of the outstanding reasons for its success is the availability of a wide caliber selection, more than any other American manufacturer.

The Model 700 offers a caliber for every type of hunting from varmints to elephants — A TOTAL OF 15 DIFFERENT CARTRIDGES IN ALL. The 700 has seven magnum calibers to choose from (one more than our major competitor) and five varmint cartridges (two more than our biggest competitor). It's the ideal gun for a shooter looking for an "all-around" rifle.



STRENGTH — Tests have proven the Model 700 action is the strongest bolt action center fire ever made. Just the ticket for handloaders who want strength where strength belongs. The secret is in the three rings of solid steel that "surround the cartridge head."

There are no extractor cutaways to weaken this critical area.

The Model 700 has the appearance of a far more expensive rifle. New in 1969 on the ADL grades is a jeweled bolt with a shrouded bolt plug, a restyled stock that improves balance and pointing, a new butt plate, a unique low profile safety that brush will not accidentally move on or off, and a new checkering pattern.



The 700 BDL version has also been dressed up. Along with the ADL features, the BDL models have a sharp white spacer forward of the new butt plate, a new easier to adjust sling strap, and the addition of the hard hitting 350 Rem. Magnum and 6.5 Rem. Magnum calibers.

Along with these new features the Model 700 still offers the shooter the same list of extras that have made it the best seller it is. ACCURACY — a product of Remington's famous precision rifling and short, crisp trigger pull. CRAFTSMANSHIP — the traditional beauty of fine checkering and beautiful wood finish that is tough, hard, and scratch-resistant (we call it RK-W). ADDED FEATURES — Monte Carlo stock and cheek piece, receiver drilled and tapped for 'scope mounts, checkered bolt knob, detachable sights for the shooters using a 'scope. BDL models feature a hinged floor plate, hooded front sight, sling strap and swivels, black grip cap and fore-end tip with white spacers.

Model 700 BDL "VARMINT SPECIAL"

The tremendous acceptance of the 700 and constant shooter demand have brought about the availability of a special heavy barreled varmint rifle, the 700 BDL "Varmint Special." Designed for minimum-target, maximum-range precision shooting, it is chambered for five of the most popular varmint cartridges going — 222 Rem., 223 Rem., 22-250 Rem., 6mm Rem., and 243 Win. A heavy 24″ barrel places this rifle in a new accuracy class. It's equipped with 'scope bases, hinged floor plate, quick release swivels and new easier to adjust sling strap, Monte Carlo stock and cheek plate, RK-W wood finish and new custom checkering.

Model 700 "CUSTOM" RIFLE

The 700 "Custom" is the finest bolt action rifle ever manufactured by the Remington Arms Company. Available on special order only, the 700 "Custom" offers the sportsman a choice of specifications. It is available in a variety of calibers and features a select American Walnut stock, hand checkering, and a highly polished barrel (with or without sights) and receiver for the finest blueing possible. It is truly the ultimate gun for the ultimate sportsman.



222 Rem. | 223 Rem. | 22-250 Rem. | 243 Win. | 6MM Rem. | 308 Win. | 6.5 Rem. Mag. | 350 Rem. Mag. | 30-06 Spfd. | 7MM Rem. Mag. | 270 Win. | 264 Win. Mag. | 300 Win. Mag. | 458 Win. Mag. | 375 H&H Mag.

◀ 1 — MODEL 700 ADL DELUXE, 22-250 Rem., $167.95 2 — MODEL 700 BDL "CUSTOM" DELUXE, 6mm Rem., $192.50
3 — MODEL 700 BDL "VARMINT SPECIAL", 223 Rem., $210.95 4 — MODEL 70C "CUSTOM", 7mm Rem., Mag., $452.95

Remington Model 788 Bolt Action Rifle — Priced from $110.75

Remington Model 660 Bolt Action Carbine — Priced from $147.75



1 2 3 4 5

Complete Specifications on Pages 18 and 19

Model 788

FEW NEW RIFLES HAVE EARNED, IN SUCH A SHORT PERIOD OF TIME, THE REPUTATION OUR MODEL 788 HAS ACQUIRED FOR ACCURACY AND DEPENDABILITY.

In the two years it has been manufactured, hunters and target shooters alike have found it to be the best all-around, economically priced bolt action rifle on the market.

This year the Model 788 IS AVAILABLE IN TWO NEW CALIBERS (6mm Rem. and 308) and with a LEFT HAND BOLT for southpaw shooters.



In order to chamber a rifle for a cartridge like the potent 22-250 Rem., you've got to have an action that will stand an unbelievable amount of pressure. Not many $110.75 bolt actions will. The nine extra-heavy locking lugs on the Model 788 bolt engage grooves in the solid steel receiver for a strong, secure lock-up.

The secret of the Model 788's exceptional accuracy lies in its fast lock time (the interval between the time you pull the trigger and the rifle actually fires). The lock time is so fast the bullet has left the barrel of the Model 788 before a comparative bullet has left the cartridge case in competitive models.

Model 660

THE MODEL 660 IS THE MOST POWERFUL BOLT ACTION CARBINE ON THE MARKET TODAY! NO OTHER GUN IN ITS CLASS IS CHAMBERED FOR THE HARD HITTING 350 REM. MAGNUM AND 6.5 REM. MAGNUM.

The cartridge head is supported by three rings of steel to insure super strength where strength belongs.

The 660 is available in other popular calibers too: 243, 308, 222 Rem., and 6mm Rem. The Model 660 bolt action carbine is versatile enough to hunt all big game animals of North America. Its convenient carbine length 20″ barrel means easy carrying in the field without loss of accuracy or velocity. A special barrel bracket adds support to the 'scope mount making it more rigid. The 'scope can't be easily knocked out of adjustment when the going gets rough. New "vibra-honing" metal finish, inside and out, are silky-smooth for fast, friction-free operation. The receiver is drilled and tapped. It's a simple matter to install a 'scope. Adjustable sights are the same dependable type that are on the Remington Model 700. A good-looking black fore-end tip, fine-line checkering, plus a black grip cap and butt plate (recoil pad on magnum models) help give this carbine the looks of a far more expensive gun. Magnum models feature a lamination of walnut and beech for extra strength, stability, and beauty. Sling straps and swivels are standard equipment on the 660 Magnum.



The Model 660's "S" shape bolt handle hugs the stock and won't interfere with brush or clothing. This bolt knob is serrated on the bottom for a good secure grip. RK-W wood finish, developed by Du Pont, protects the stock and brings out the lustrous beauty of the wood grain.

The Model 660 has many features of higher priced rifles. Standard equipment includes a Monte Carlo stock for a better cheek-to-stock fit for quicker, surer sight alignment with either a 'scope or open sights. The trigger is extra wide and serrated so your finger won't slip even when wearing a glove; it's extra crisp and clean, no creep or spongy action.

Economically priced in all calibers, the Model 660 is the most versatile carbine your money can buy.

REMINGTON MODEL XP-100 LONG RANGE PISTOL

BOLT ACTION • SINGLE SHOT CENTER FIRE

$124.25
Price Includes Zippered Carrying Case

221 REMINGTON "FIRE BALL" CALIBER

Rotating Thumb-Safety. Ventilated Rib. Custom-Style Checkering. Internal Fore-End Cavities for Addition of Weights. Match Type Trigger. Scientifically Balanced to give minimum whip, jump and recoil. One-Piece Stock of Du Pont "Zytel" Nylon. World's Strongest Bolt. Rifle-Type Rear Sight. Universal Grip fits either left or right hand. Weight 3¾ lbs. Order No. 5470

1 — MODEL 660, 6mm Rem., $147.75 2 — MODEL 660 MAGNUM, 350 Rem. Mag., $184.50 3 — MODEL 788, 22-250 Rem., $110.75
4 — MODEL 788, 44 Rem. Mag., $110.75 5 — MODEL 788, LEFT HAND, 6mm Rem., $116.95

Remington Model 742 "Woodsmaster" Automatic
Remington Model 760 "Gamemaster" Pump Action Rifles

Priced from $174.50

63 YEARS OF AUTOMATIC RIFLE EXPERIENCE HAS GONE INTO THE MANUFACTURE OF REMINGTON'S LATEST MODEL —

Model 742 "Woodsmaster"

Remington introduced America's first Automatic rifle back in 1906 and we've been making them ever since.

The Model 742 is the most dependable automatic on the market. It's proven itself time and time again, under all weather conditions. Prior to its introduction, the 742 withstood performance tests that included freezing the action, subjecting the action to dust and dirt and a deluge of water. It passed these tests with flying colors. Proof enough it will stand up under all hunting conditions.



It's extra strong too — strong enough to hold the pressures of the 30-06 Springfield cartridge. The artillery-type bolt has multiple lugs that lock bolt and barrel together as tight as a bank vault. When the bolt is closed, three rings of steel (bolt, barrel, and receiver) enclose the cartridge head.

Designed for trouble-free functioning, the fast gas-operated action soaks up recoil with no loss of power. You're back on target immediately for those extra shots (if you need them). If you hunt in heavy brush, take a look at the 742 Carbine. Its 18½" barrel makes it a handy gun to have when the going is rough.



Extra clips are available for fast loading in the field. Sling strap and swivels are optional.

Both the Model 742 rifle and carbine feature a unique metal finish. We call it "vibra-honing." The result is a mirror-like finish on all metal surfaces (both inside and out). Parts operate smoother, glide easier. The blueing resembles that of far more expensive models. It has a rich lustrous finish.

Du Pont developed RK-W wood finish protects the stock and fore-end. This clear finish, similar to that used on bowling pins, is tough, hard and scratch-resistant. It gives lasting protection against hard usage and bad weather.

BDL grade "Custom Deluxe" models feature beautiful basket-weave checkering, Monte Carlo stock with full cheek piece either for right or left hand shooters (safety reversed for left hand shooters at no extra cost) and an attractive black fore-end tip and grip cap. All Model 742's are drilled and tapped for 'scope mounts.

Model 760 "Gamemaster"

The Model 760 pump action center fire rifle is the fastest hand-operated big game rifle made. It's faster than the fastest lever action. Double action bars guarantee dependability and prevent twisting and binding. All this means velvet-smooth pumping, shot after shot.

The Model 760 is the only pump action big game rifle that's chambered for the powerful 30-06 Springfield cartridge. The secret's in its solid steel receiver and extra-strong artillery type bolt.

All Model 760's are drilled and tapped for 'scope mounts. RK-W Du Pont developed wood finish is standard on all models as is a streamlined beaver-tail fore-end with black tip and white line spacers. Skip line checkering on standard grades gives the rifle a distinctive look.

New "vibra-honing" metal finish, inside and out, makes metal surfaces silky-smooth; parts work friction-free. BDL Deluxe grades feature basket weave checkering, Monte Carlo stock with cheek piece for right or left hand shooters (safety reversed on guns with left hand cheek piece at no extra cost).

The Model 760 "Gamemaster" carbine with an 18½" barrel is just the ticket when you're hunting in heavy brush. Dollar for dollar, you can't buy a better pump action big game rifle.

1 — MODEL 742 CARBINE, 30-06 Spfd., $199.25
2 — MODEL 742, 308 Win., $199.25
3 — MODEL 742 BDL DELUXE, 30-06 Spfd., $221.50
4 — MODEL 760 CARBINE, 308 Win., $174.50
5 — MODEL 760, 6mm Rem., $174.50
6 — MODEL 760 BDL DELUXE, 30-06 Spfd., $196.95

— Priced from $199.25



1 2 3 4 5 6

Complete Specifications on Page 19

REMINGTON CENTER FIRE RIFLES

Order Numbers, Prices and Specifications

USE NUMBERS FOR ACCURATE ORDERING

Model 700 ORDER NUMBERS AND PRICES

Calibers	Cap.	Twist-R H 1 Turn in	Barrel Length Reg.	Barrel Length Var.	Overall Length Reg.	Overall Length Var.	Weight Lbs. Reg.	Weight Lbs. Var.	700 ADL Order Nos.	700 ADL Retail Prices	700 BDL Order Nos.	700 BDL Retail Prices	Varmint Special Order Nos.	Varmint Special Retail Prices	Custom Model ★ Order Nos.	Custom Model ★ Retail Prices
22-250 Rem.	5	14"	24"	24"	43½"	43½"	7	9	6054		6080		6118		Special	
222 Rem.	6	14"	24"	24"	43½"	43½"	7	9	6052		6038		6116		Special	
223 Rem.	6	12"		24"		43½"		9					6120	$210.95		
6 mm Rem.	5	9"	22"	24"	41½"	43½"	7	9	6056		6082		6122		Special	
243 Win.	5	9"	22"	24"	41½"	43½"	7	9	6058	$167.95	6084	$192.50	6124		Special	
270 Win.	5	10"	22"		42½"		7		6062		6088				Special	
30-06	5	10"	22"		42½"		7		6078		6102				Special	$452.95
308 Win.	5	10"	22"		41½"		7		6076		6100				Special	
†7 mm Rem.Mag.	4	9"	24"		44½"		7½		6074	$186.50	6098				Special	
†264 Win. Mag.	4	9"	24"		44½"		7½		6060		6086				Special	
NEW •6.5 Rem. Mag.	4	9"	24"		43⅝"		7½				5924	$211.25			Special	
NEW •350 Rem. Mag.	4	16"	24"		43⅝"		7½				5926				Special	
†300 Win. Mag.	4	10"	24"		44½"		7½				6104				Special	
•375 H&H Mag.	4	12"	26"		46½"		9				6106	$405.95				
•458 Win. Mag.	4	14"	26"		46½"		9				6108					

•Has recoil pad. †Stainless steel barrel and recoil pad.

Model 788 ORDER NUMBERS AND PRICES

Calibers	Clip Mag. Cap.	Twist-R H 1 Turn in	Bbl. Lgth.	O.A. Lgth.	Av. Wt. Lbs.	Order Nos.	Retail Prices
Model 788							
222 Rem.	4	14"	24"	43⅝"	7½	9722	
22-250 Rem.	3	14"	24"	43⅝"	7½	9736	
NEW 6mm Rem.	3	9"	22"	42"	7¼	9784	
243 Win.	3	9"	22"	42"	7¼	9782	$110.75
NEW 308 Win.	3	10"	22"	42"	7¼	9780	
30-30	3	10"	22"	41⅝"	7¼	9738	
44 Rem. Mag.	3	38"	22"	41"	7⅛	9740	
Model 788 (Left Hand)							
NEW 6mm Rem.	3	9"	22"	42"	7¼	9786	
NEW 308 Win.	3	10"	22"	42"	7¼	9788	$116.95
Sling Strap & Swivels (Installed)						6426	
Extra Clip (Specify Caliber)							$ 5.75

Model 660 ORDER NUMBERS AND PRICES

Calibers	Fixed Mag. Cap.	Bbl. Lgth.	O.A. Lgth.	Avg. Wt.	Twist, RH 1 turn in	Order Nos.	Retail Prices
Model 660 Reg.							
222 Remington	6	20"	38¾"	6½	14"	9618	
6 mm Remington	5	20"	38¾"	6½	9"	9620	$147.75
243 Win.	5	20"	38¾"	6½	9"	9622	
308 Win.	5	20"	38¾"	6½	10"	9624	
Sling Strap & Quick Release Swivels (installed)						6382	
Model 660 Mag.							
350 Rem. Mag.	4	20"	38¾"	6½	16"	9626	$184.50
6.5 mm Rem. Mag.	4	20"	38¾"	6½	9"	9628	

Model 700

SPECIFICATIONS: STANDARD STOCK DIMENSIONS, STOCK — American Walnut. BDL and Varmint Models include sling strap and quick release swivels, black fore-end tip and white line spacers. 13⅜" length of pull, 2⅝" drop at heel, 1 11/16" drop at comb (from open sight line) checkered. **SIGHTS** — Flat faced gold bead with ramp front sight (hooded ramp on BDL model). Step adjustable rear sight with windage adjustment screw. Varmint model has no sights. **RECEIVER** — Drilled and Tapped for 'scope mounts and receiver sights. BDL model has hinged floor plate. Varmint model has 40XB type'scope mounts.

Model 700 ADL — Sling Strap & Quick Release Swivels (Installed) Order No. 6382 —

★ **CUSTOM MODEL 700** — Manufactured to customer specifications — choice of 20", 22" and 24" barrel — with or without floor plate — with hunting sights, or plain barrel with receiver drilled and tapped for 'scope mounts — length of pull from 13⅜" up to 14" with recoil pad — extra charge for recoil pad, oil finished stocks and left hand cheek piece — orders non-cancellable — allow up to four months for delivery. Only ordnance steel barrels supplied.

Model 788

SPECIFICATIONS: STOCK — Monte Carlo type. 13⅝" length of pull, 2⅝" drop at heel, 1⅞" drop at comb (from open sight line). **SIGHTS** — Blade front sight on ramp is detachable. U notch rear sight lock-screw adjustable for windage and elevation. Rear sight barrel holes correct for target scope block. **RECEIVER** — Drilled and tapped for 'scope mounts and receiver sight. Detachable clip type magazine.

Model 660

SPECIFICATIONS: STOCK — American Walnut (regular model) laminated walnut and beech (magnum). Custom checkering, Monte Carlo stock with fluted comb. 14" length of pull. 2" drop at heel, 1⅞" drop at comb. **SIGHTS** — Ramp front sight with brass bead. "U" notch rear sight, adjustable for elevation and windage. **RECEIVER** — Drilled and tapped for 'scope mounts. Fixed magazine.

Model 742

SPECIFICATIONS: CAPACITY — 4 in clip magazine plus one in chamber. **STANDARD STOCK DIMENSIONS** — Stock and fore-end: American walnut. 13⅜" length of pull, 2⅛" drop at heel, 1⅝" drop at comb. Deluxe Model: 13 5/16" length of pull, 2½" drop at heel. 1⅝"drop at comb, 1 13/16" drop at Monte Carlo. **RECEIVER** — Drilled and tapped for 'scope mounts. Removable clip magazine. **SIGHTS** — Flat faced gold bead with ramp front sight. Step adjustable rear sight, for elevation, with windage adjustment screw. **WEIGHT** — Approx. 7½ lbs. — Carbine 6¾ lbs.

Model 760

SPECIFICATIONS: CAPACITY — 4 in clip magazine plus one in chamber. **STANDARD STOCK DIMENSIONS** — Stock and fore-end: American walnut. 13⅜" length of pull, 2⅛" drop at heel, 1⅝" drop at comb. Deluxe Model: 13 5/16" length of pull, 2½" drop at heel, 1⅝" drop at comb, 1 13/16" drop at Monte Carlo. **RECEIVER** — Drilled and tapped for 'scope mounts. Removable clip magazine. **SIGHTS** — Flat faced gold bead with ramp front sight. Step adjustable rear sight, for elevation, with windage adjustment screw. **WEIGHT** — Approx. 7½ lbs. — Carbine 6¾ lbs.

Model 742 ORDER NUMBERS AND PRICES

Calibers	Twist-R H 1 Turn in	Barrel Length	Overall Length	Order Nos.	Retail Prices
Model 742					
6mm Rem.	9"	22"	42"	9632	
280 Rem.	9"	22"	42"	9634	
30/06	10"	22"	42"	9636	$199.25
308 Win.	10"	22"	42"	9638	
243 Win.	9"	22"	42"	9648	
Model 742 Carbine					
30/06	10"	18½"	38½"	9670	$199.25
308 Win.	10"	18½"	38½"	9672	
Model 742 BDL Deluxe					
30/06	10"	22"	42"	9666	
30/06 Left Hand	10"	22"	42"	9668	$221.50
308 Win.	10"	22"	42"	9640	
308 Win. Left Hand	10"	22"	42"	9644	
Model 742 D "Peerless" Grade				Spec.	
Model 742 F "Premier" Grade				Spec.	
Sling Strap & Quick Release Swivels (installed)				6094	
Extra 4-Shot Clip				Specify Caliber	$ 6.95

Deluxe models with left hand cheek piece have left hand safeties — both at no extra charge.

Model 760 ORDER NUMBERS AND PRICES

Calibers	Twist-R H 1 Turn in	Barrel Length	Overall Length	Order Nos.	Retail Prices
Model 760					
NEW 6mm Rem.	9"	22"	42"	5900	
270 Win.	10"	22"	42"	9726	
30/06	10"	22"	42"	9730	$174.50
308 Win.	10"	22"	42"	9732	
243 Win.	9"	22"	42"	9678	
Model 760 Carbine					
30/06	10"	18½"	38½"	9698	$174.50
308 Win.	10"	18½"	38½"	9714	
Model 760 BDL Deluxe					
30/06	10"	22"	42"	9692	
30/06 Left Hand	10"	22"	42"	9694	
308 Win.	10"	22"	42"	9706	$196.95
308 Win. Left Hand	10"	22"	42"	9710	
270 Win.	10"	22"	42"	9708	
270 Win. Left Hand	10"	22"	42"	9712	
Model 760 D "Peerless" Grade				Spec.	
Model 760 F "Premier" Grade				Spec.	
Sling Strap & Quick Release Swivels (installed)				6096	
Extra 4-Shot Clip				Specify Caliber	$ 5.75

Deluxe models with left hand cheek piece have left hand safeties — both at no extra charge.



1 2 3 4 5 6

Complete Specifications on Page 26

Remington Bolt Action 22 Cal. Rifles

Models 580, 581, 582 — Priced from $50.75

Model 514 — Priced at $39.25

Models 580 Single Shot, 581 Clip Repeater and 582 Tubular Repeater

They have the look, feel and balance of big game center fire rifles — plus the strongest, most powerful bolt ever designed into a 22 caliber hunting rifle.

A NEW LEFT HAND MODEL 581 WITH THE BOLT ON THE LEFT SIDE IS AVAILABLE THIS YEAR FOR SOUTHPAW SHOOTERS. IT IS THE ONLY LEFT HAND BOLT ACTION RIM FIRE RIFLE EVER MANUFACTURED IN AMERICA, ANOTHER FIRST FROM REMINGTON.

The 580 series feature an artillery type bolt with rear lock-up. Six extra-heavy rotary locking lugs at the back engage grooves in the solid steel receiver. Together they lock up tight, like a bank vault. Try it — work the action a few times. It's silky-smooth, solid and secure, made of ordnance steel.

Here is strength that has never been equaled in any 22 bolt action hunting rifle. Actually, there's more built-in strength here than you'll ever need, but it's nice to know your rifle is designed with this plus factor.

Remington looked at all the other desirable features that make up a fine big game rifle . . . and we put them into this new rim fire line. Here they are:

HUNTING-TYPE TRIGGER is wide and the trigger pull is crisp, sharp, clean — no drag. Big, sturdy trigger guard is roomy enough to accommodate a gloved finger. Everything about these new rifles is man-size. There's no corner cutting anywhere.

FULL SIZE Monte Carlo stock with pistol grip looks and feels like a center fire rifle. It assures a snug, comfortable cheek-to-stock fit that means more hits — with or without a 'scope. And there's no skimping on the fore-end, it's long, tapered, man-size to prevent canting and provides a good secure grip.

NON-SLIP THUMB SAFETY is conveniently located at the right rear of the receiver. Positive safety — forward for fire; rearward for safe.

TWO EXTRACTORS are standard on this series of 22 rifles. Remington feels that two are better than one (so you get 2). Another extra at no extra charge.

SIGHTS are rugged, similar to those on big game rifles. Bead front sight and U notch adjustable rear with lock screw. You'll hit what you aim at with these sights.

ROUND STEEL RECEIVER means bedding into the stock can be more precise, which in turn contributes to fine accuracy. The receiver is also grooved for tip-off 'scope mounts. Actually, it's the strongest, most rigid receiver of any 22 bolt action hunting rifle because there are no slots or notches to weaken it; bolt handle isn't used as a lock-up lug. Here again, Remington designers made it like a center fire rifle. Costs the shooter no more; it's an extra bonus he gets because of good design.

BOLT COVER keeps dirt and bad weather out. Assures smooth operation within. Adds to streamlining of the rifle, too. Here's an accuracy combination that's hard to beat . . . in all three models: 580 single shot, 581 clip repeater and 582 tubular repeater.

Model 514

Here is an excellent 22 caliber rifle . . . at a popular price. It's a single-shot bolt action model with a self-cocking bolt, rotary thumb safety, and takes all 22 caliber cartridges — short, long or long rifle; standard velocity or high speed. For the young shooter, it's also available as Model 514 BR, with shortened stock.

◀ 1 — MODEL 514 BR, Single Shot, Boy's Rifle, $39.25 2 — MODEL 514, Single Shot, $39.25 3 — MODEL 582, Tubular Repeater, $72.50
4 — MODEL 581, Clip Repeater, $65.25 5 — MODEL 580, Single Shot, $50.75 6 — MODEL 581, LEFT HAND, Clip Repeater, $72.50

Remington Nylon 66, Models 552, 550 Automatic and 572 Pump Action 22 Cal. Rim Fire Rifles

1 2 3 4 5 6 7

Complete Specifications on Page 26

Nylon 66 Automatic
Priced from $69.95

Remington's Nylon 66 is setting an amazing record in sales and customer acclaim. Here's why!

Structural-nylon is many ways better than conventional material for the gun's stock and fore-end. Because this super-strong material doesn't warp, the same barrel bedding principle used on the world's most expensive target rifles is yours. The result is an automatic that nails targets, tin cans and small game with tremendous accuracy. This is the same model rifle used to establish an accuracy record on hand-thrown 2½" wood blocks. Only six misses out of 100,000 blocks thrown . . . and without a malfunction.

Receiver parts, stock and barrel are interlocked with steel and structural nylon that creates the most trouble-free automatic action ever known. There's no need for lubrication because friction-free parts glide on "greaseless bearings" of nylon. Perfect checkering makes for fast, sure loading, and the convenient top-of-grip thumb safety slips off "safe" in a wink for running game shots. The handsome Nylon 66 has white diamond inlays and white line spacers at grip cap, butt plate and fore-end tip.

The Nylon 66 is also made in an Apache Black deluxe model. The stock is Du Pont Zytel® black nylon and both the barrel and the receiver cover are chrome plated. Inside, it's the same reliable, trouble-free rifle as the standard mohawk brown model.



The Nylon 66 is the most rugged automatic 22 rim fire rifle made. It will work when conditions get tough.

Model 552 "Speedmaster" Automatic
Priced from $91.25

Here's the Remington 22 caliber automatic that's fast shooting, accurate, nicely balanced and chambered for Short, Long and Long Rifle cartridges. The Model 552 is another member of Remington's "family of guns;" looks, handles and shoots like its big brother, the Model 742 big game rifle. The "Speedmaster" has every feature a shooter wants, such as: twenty shots as fast as you can squeeze the trigger, cross bolt safety, receiver grooved for "tip-off" 'scope mounts. Also available is the short barrel (21") carbine model, the Gallery Special and a deluxe model with custom checkering, RK-W wood finish and big game type sights. Pick a 552 off the rack at your dealer's — throw it to your shoulder. We think you'll agree, it's the rifle that "feels right" . . . because it's made right.

Model 550 Automatic
Priced at $84.25

Rapid fire, extra ruggedness and dependability are points shooters like about this Remington automatic. It's the famous 22 caliber rifle that shoots Short, Long and Long Rifle cartridges with no adjustment. Mix them up, drop them in the tubular magazine and fire away. Model 550 takes 'em as they come. Other fine features are: Large capacity, up to 20 Shorts, fine accuracy, thumb safety, receiver grooved for "tip-off" 'scope mounts. The Model 550 is well-built, well-designed — an exceptionally fine all-around rifle for the hunter or plinker . . . and good for week-end family fun, too.

Model 572 "Fieldmaster" Pump Action
Priced from $91.25

For the shooter who likes a pump action 22 caliber rifle, the "Fieldmaster" Model 572 is best . . . action is slick and smooth. Exclusive cartridge feeding design prevents jamming, permits easy single loading. By simply removing the inner magazine tube, parent or instructor can convert the "Fieldmaster" into a single shot rifle. Receiver has dovetail grooves for "tip-off" 'scope mounts. Capacity is large; tubular magazine holds 20 Short, 17 Long or 15 Long Rifle cartridges. It has a cross bolt safety conveniently located at the rear of the trigger guard where it can be snapped on or off with the index finger. The Model 572 is beautifully streamlined and balanced — rugged and dependable like Remington big game rifles and shotguns. BDL deluxe models feature extra tough RK-W wood finish, custom checkering, grip cap, and big game type sights.

1 — MODEL 552 BDL DELUXE, Automatic, $105.25 2 — MODEL 552 A, Automatic, $91.25 3 — MODEL 550 A, Automatic, $84.25
4 — MODEL 572 BDL DELUXE, "Fieldmaster", Pump Action, $105.25 5 — MODEL 572, "Fieldmaster", Pump Action, $91.25
6 — NYLON 66 AB, "Apache Black", Automatic, $77.25 7 — NYLON 66 MB, "Mohawk Brown," Automatic, $69.95

NEW Remington Model 540X 22 Cal.

40XB "Rangemaster" Target Rifle

International Free Rifle

Rim Fire and Center Fire

The New Model 540X Match Target Rifle Priced from $138.75

The Model 540X has all the design features and special attachments to make it the most accurate target rifle in its class. Designed for the intermediate and junior shooter, the Model 540X is super accurate, well balanced, and loaded with extras, the extras needed to win.



To continually punch holes in the X ring with any rifle, you need a gun with a good crisp trigger pull, one that will fire when you want it to. The 540X has a fully adjustable trigger that does exactly that. The secret's in its fast lock time. Lock time is the interval between the time you pull the trigger and the rifle actually fires. The 540X trigger is the fastest of any target rifle now manufactured.



A unique feature of this rifle is its four-way adjustable butt plate. The stock can be adjusted with the same wrench for length of pull, vertical, pitch or cant (left or right).

A butt plate of this type eliminates the need for costly stock alterations and is designed to fit the needs of all rifle shooters regardless of their physical characteristics.

The stock was designed with the target shooter in mind. Thumb cuts give you that secure grip for top scores. A new stock design and special rear sight bracket gives common sight alignment for shooting with either a 'scope or iron sights.

A front swivel block, Redfield #63 front and Redfield #75 rear sights are optional. The receiver is drilled and tapped for popular 'scope mounts.

Model 40XB "Rangemaster" (Rim Fire Model) Priced from $217.50

Exclusive loading platform provides straight line feeding; no shaved bullets. Specially selected heavy ordnance steel barrel with new Remington rifling process assures utmost accuracy. High comb gives same sighting plane for iron and telescope sights. Comb is grooved for bolt removal. Mershon White Line non-slip rubber butt plate, adjustable sling swivel and hand-stop are standard equipment. Other features are: extra strong bolt with double extractors, crisp trigger with positive adjustments for weight of pull, wide trigger for more uniform pull and comfort, thumb operated safety. The receiver is drilled and tapped for all standard sight mounts, telescope and metallic Redfield Olympic front and rear sights optional. A new long rail for the adjustable fore-end stop and palm rest makes shooting good scores easier.

Model 40XB "Rangemaster" (Center Fire Model) Priced from $238.50

Now available in repeating models for use in National Match Courses, the 40XB is designed with clip slots for the conventional five shot clip. It loads from the top of the receiver and the magazine has a hinged floor plate. Repeating models are provided *only* in calibers equal to or shorter than the loaded length of the 308 cartridge.

The 40XB center fire repeating rifle is ideal for the rapid fire events, especially in the 7.62mm NATO (308) caliber, because of its shorter bolt throw and extreme accuracy, plus its optimum weight for "over the course" competition.

As a single shot model, the Remington Model 40XB center fire is offered in a variety of center fire calibers as listed in specifications. The action is hand bedded and the barrel is free floating. The 40XB meets the National Bench Rest Shooters Association rules for the Heavy Varmint Class with most target telescopes (max. weight 13½ lbs.). Stainless steel barrels are supplied as standard on 7mm Rem. Magnum, 30-338, and other magnum calibers. Stainless steel is also recommended for 22-250 and 6mm Rem. (at extra charge). Stainless 40XB barrels are not blued.

International Free Rifle (Rim Fire and Center Fire) Priced from $430.75

The International Free Rifle features the 40XB action, precision heavy barrel, a Remington designed adjustable butt plate and hook, adjustable palm rest, adjustable front sling swivel and 2-ounce trigger. Left-hand stock supplied at extra charge.

1 — MODEL 540X, 22 Cal. Match Target Rifle, $169.50 (Hand-Stop Extra). 2 — MODEL 40XB, 22 Cal. Rim Fire Target Rifle, $262.25
3 — MODEL 40XB, Center Fire, 7.62mm NATO Target Rifle, $238.50 (Target Sights Extra). 4 — MODEL 40XB Bench Rest, Center Fire, 222 Rem. Cal., Stainless Steel Barrel, Target Rifle, $277.75. (Target 'scope Extra). 5 — INTERNATIONAL FREE RIFLE, Center Fire, 222 Rem., $430.75

Match Target Rifle

Rim Fire and Center Fire





Complete Specifications on Page 27

REMINGTON RIM FIRE RIFLES

Order Numbers, Prices and Specifications

USE NUMBERS FOR ACCURATE ORDERING

ORDER NUMBERS AND PRICES

Models 580, 581 and 582

Bolt Action 22 Caliber Rifles	Order Nos.	Retail Prices
Model 580 Single Shot	9852	$50.75
Model 580 Single Shot, Smooth Bore	9864	$57.95
Model 581 Clip Repeater	9854	$65.25
NEW Model 581 Clip Repeater (Left Hand)	9838	$72.50
Model 582 Tubular Repeater	9856	$72.50
Sling Strap & Swivels (Installed)		
Mode 581 — Extra 5-shot Clip	4914	$ 3.50
Model 581 — Extra 10-shot Clip	9828	$ 4.75

Model 514

	Order Nos.	Retail Prices
Model 514 Single Shot	5572	$39.25
Model 514 BR Single Shot Boy's Rifle	5582	$39.25

Nylon 66

Nylon 22 Caliber Rifles	Order Nos.	Retail Prices
Nylon 66 MB "Mohawk Brown" Automatic	5500	$69.95
Nylon 66 AB "Apache Black" Automatic	5486	$77.25
Nylon 66 GS "Gallery Special" (22 Shorts Only)	5512	
Sling Strap & Swivels (installed)		

We guarantee that these stocks will not warp, crack, chip, fade or peel for the life of the rifle — or we will replace it free.

Models 552, 550 and 572

	Order Nos.	Retail Prices
Model 552 22 Caliber Automatic Rifle		
552 A Automatic	5608	$ 91.25
552 C Carbine	5612	$ 91.25
552 BDL Deluxe	9830	$105.25
552 GS "Gallery Special" (22 Shorts Only)	5610	
Sling Strap and Swivels (installed)	6430	
Model 550 22 Caliber Automatic Rifle		
550 A	5596	$84.25
Sling Strap and Swivels (installed)	6428	
Model 572 22 Caliber Slide Action Rifle		
572 A	5626	$ 91.25
572 BDL Deluxe	9832	$105.25
572 SB Smooth Bore	5628	$105.25
Sling Strap and Swivels (installed)	6432	

Models 580, 581 and 582

SPECIFICATIONS: **ACTION** — All bolt action. M/580 single shot, M/581 clip repeater, M/582 tubular repeater. **CALIBER** — 22 rim fire; short, long, or long rifle cartridges. **CAPACITY** — M/580 single shot, M/581 5-shot, M/582 20 short, 15 long, 14 long rifle cartridges. **BARREL** — 24 inch ordnance steel, precision rifled, crowned at muzzle. **STOCK** — Walnut finish, Monte Carlo type, full size, black butt plate. Single screw take-down. **SIGHTS** — Front; bead, dovetail adjustable. Rear; U Notch type, lock-screw adjustable. **BOLT** — Artillery style, lock-up at rear. 6 locking lugs, double extractors. **RECEIVER** — Round, ordnance steel, grooved for 'scope mounts. **SAFETY** — Positive, serrated thumb type, forward for fire, rearward for safe. **OVER-ALL LENGTH** — 42⅜". **WEIGHT** — M/580 5 lbs., M/581 5¼ lbs., M/582 5½ lbs.

Model 514

SPECIFICATIONS: **ACTION** — Bolt action, single shot. **CALIBER** — 22 short, long, long rifle rim fire. **CAPACITY** — Single shot. **BARREL** — 24 inch, precision rifled, Remington ordnance steel. **STOCK** — Walnut finished, full sized, black butt plate. **SIGHTS** — Bead front sight, open rear. **SAFETY** — Rotary thumb safety. **RECEIVER** — Made from solid steel. **OVER-ALL LENGTH** — 41 inches. Boy's rifle 40 inches. **WEIGHT** — 4¾ lbs.

Nylon 66

SPECIFICATIONS: **ACTION** — Automatic. **CALIBER** — 22 long rifle Rim Fire. **CAPACITY** — Tubular magazine thru butt stock. Holds 14 long rifle cartridges. **BARREL** — 19⅝ inch, precision rifled, Remington Ordnance Steel. **STOCK** — One-piece structural nylon, checkered grip & fore-end with white diamond inlays, white line spacers on butt plate, grip cap & fore-end. **SIGHTS** — Adjustable rear sight, blade front, common sight line for iron sights and scope. **SAFETY** — Top-of-grip. **RECEIVER** — Grooved for "tip-off" 'scope mounts. **OVER-ALL LENGTH** — 38½". **COLOR** — Mohawk Brown with blued barrel and receiver. Apache Black with chrome plated barrel and receiver cover. **WEIGHT** — 4 lbs.

Models 552, 550 and 572

SPECIFICATIONS: **MODEL 552: ACTION** — Automatic. **CALIBER** — 22 Rim Fire. **CAPACITY** — Tubular magazine holds 20 Short, 17 Long, 15 Long Rifle cartridges. **SIGHTS** — Adjustable rear sight, bead front. Deluxe Model: Blade ramp front sight. Step adjustable rear sight with windage adjustment screw. **STOCK** — Models 552 and 572 rich American walnut, BDL has RK-W finish. Model 550, full length, walnut finish. **SAFETY** — Cross-bolt type. **RECEIVER** — Grooved for "tip-off" scope mounts. **OVER-ALL LENGTH** — 42"; 40" (Carbine). **WEIGHT** — 5½ lbs.

MODEL 550: Same as Model 552 except: **SAFETY** — Thumb style. **OVER-ALL LENGTH** — 43½". **WEIGHT** — 6¼ lbs.

MODEL 572: Same as Model 552 except: **ACTION** — Pump, repeater.

REMINGTON TARGET RIFLES

Order Numbers, Prices and Specifications

USE NUMBERS FOR ACCURATE ORDERING

NEW Model 540X
Match Target Rifle

SPECIFICATIONS: **ACTION** — Bolt, single shot. **CALIBER** — 22 cal. rim fire, Long Rifle only. **CAPACITY** — Single loading. **SIGHTS** — Redfield #63 front Redfield #75 rear (sights optional). **SAFETY** — Positive, serrated thumb type, forward for fire, rearward for safe. **RECEIVER** — Drilled and tapped for iron sights or 'scope mounts, rear sight bracket. **BARREL LENGTH** — 26". Over-all rifle length 43½" to 47½". **LENGTH OF PULL** — 12¾" to 15½". **STOCK** — length 30⅝", thumb cuts, 4 way adjustable butt plate, rail. Front swivel block, sling and sling swivel opitional. Common sight alignment with 'scope or iron sights. **WEIGHT** — with sights 8 lbs. 8 oz.; without sights 8 lbs. 2 oz.

Model 40XB (Rim Fire)

SPECIFICATIONS: **ACTION** — Bolt, Single Shot. **CALIBER** — 22 rim fire, Long Rifle only. **CAPACITY** — Single loading. **SIGHTS** — Redfield Olympic front & rear sights optional. **SAFETY** — Thumb Safety, positive. **RECEIVER** — Drilled & tapped for iron sights or 'scope mounts. **BARREL LENGTH** — 28". Over-all rifle length 47". **LENGTH OF PULL** — 13½". (Trigger adjustable 2 to 4 lbs.) **STOCK** — American walnut. Palm rest & front swivel block, adjustable on base. **WEIGHT** — With Redfield sights heavy barrel 12¾lbs. Standard barrel, 10 lbs., 12 oz. Without sights, 12 oz. less.

Model 40XB (Center Fire)

SPECIFICATIONS: **ACTION** — Bolt, Single Shot & Repeating. **CALIBERS** — **Single Shot** — 222 Rem., 222 Rem. Mag., 223 Rem., 22-250 Rem., 6 mm x 47 mm (6 mm .222 Mag.), 6 mm international (6 mm on .250 Sav. case), 6 mm Rem. (244 chamber), 243 Win., 6.5 mm Rem. Mag., 7 mm Rem Mag., 7.62 mm Nato (308 Win.), 30-06, 30-338, (.30, 7 mm Mag., 300 Win. Mag.). **Repeating** — 7.62 mm Nato (308 Win.), 222 Rem., 222 Rem. Mag., 223 Rem., 243 Win., 6 mm x 47 mm, 6 mm Rem., 6 mm Int., 22-250 Rem. Calibers whose over-all loaded length is equal to or shorter than the 308. **CAPACITY** — Single loading and repeater. (Loads from top of receiver). **SIGHTS** — Redfield Olympic front & rear sights optional. **SAFETY** — Thumb operated safety, positive. **RECEIVER** — Drilled and tapped for metallic sights and telescope mount bases. Target type blocks furnished. **BARREL LENGTH** — 27¼" free floating. Overall length of rifle 47". **LENGTH OF PULL** — 13½". Trigger adjustable 1 to 3½ lbs. 2 ounce Trigger available at extra cost. **STOCK**— Selected American Walnut. Fore-end stop and sling swivel adjustable on base. **AVERAGE WEIGHT** — Without Sights: Heavy Barrel 11¼ lbs., Standard Barrel 9¾ lbs.

International Free Rifle
(Rim Fire • Center Fire)

SPECIFICATIONS: 40 XB type action, precision heavy barrel, laminated stock, a Remington designed adjustable butt plate with interchangeable rubber plate and hook, adjustable palm rest, adjustable front sling swivel, 2-ounce trigger. Left-hand stock supplied at extra cost. Center Fire Calibers: 222 Rem., 222 Rem. Mag., 7.62 mm, 30-06 and others on special order.

ORDER NUMBERS AND PRICES

NEW Model 540X

Model 540X	Order Nos.	Retail Prices
540X Match Rifle (without sights)	9796	$138.75
540X Match Rifle (with sights)	9794	$169.50
Sling Strap with Front Swivel Block Assembly (installed)	6420	$ 9.95

Model 40XB (Rim Fire)

Model 40 XB "Rangemaster" — Rim Fire	Order Nos.	Retail Prices
S1 Std. Barrel with Sights, Rim Fire—22 Cal.	5674	$262.25
H1 Heavy Barrel with Sights, Rim Fire—22 Cal.	5670	
H2 Heavy Barrel without sights, Rim Fire—22 Cal.	5672	$217.50
S2 Std. Barrel without Sights, Rim Fire—22 Cal.	5676	

Model 40XB (Center Fire)

Model 40 XB "Rangemaster" — Center Fire	Order Nos.	Retail Prices
CF-S2 Std. Barrel without Sights, Center Fire	Special	$238.50
CF-H2 Heavy Barrel without Sights, Center Fire	Special	
Extra for repeating Center Fire Models (Heavy Barrel Only)		$ 23.95
Extra for calibers requiring stainless barrels		$ 23.95
Extra for 2 Oz. Trigger (Single Shot Model Only) (12 weeks or more for center fire models)		$ 47.75

International Free Rifle

International Free Rifle	Order Nos.	Retail Prices
Rim Fire	Special	$490.95
Center Fire	Special	$430.75

REMINGTON "EXPRESS" LOADS available in 10, 12, 16, 20, 28, 410 gauges.

PETERS "HIGH VELOCITY" LOADS available in 12, 16, 20, 28, 410 gauges.

REMINGTON "SHUR SHOT" LOADS available in 12, 16, 20 gauges.



PETERS "VICTOR" LOADS available in 12, 16, 20 gauges.

Remington-Peters
Shotgun Shells
with "POWER PISTON"

Only Remington-Peters shells have "Power Piston". The patented one-piece wad that gives every shooter a 10% better chance to get his game.



KNOCKDOWN POWER. "Power Piston" puts up to 10% more knockdown power in every pattern. And that gives the shooter a 10% better chance to get his game.

It's easy to explain. The rounder the shot, the straighter it travels, and the harder it hits.

"Power Piston" keeps the shot a lot rounder. Keeps pellets from flattening against the inside of the barrel and against each other. So more pellets fly true. Up to 10% more.

PLASTIC BODIES. Remington-Peters has made more plastic shells than all other manufacturers combined! And this wealth of know-how has paid off in a better shell. One that seals in gases to give full power. Locks out moisture that can rob power. Won't scuff, swell or split . . . under any hunting or storage conditions.

FULL LINE. "Power Piston" is available in 12, 16, 20 and 28 gauge "Express" and "High Velocity" loads. In 12, 16 and 20 gauge magnum loads. In 12, 16 and 20 gauge "Shur Shot" and "Victor" field loads.

TYPE OF LOAD	GAUGE	LENGTH SHELL INCHES	POWDER EQUIV. DRAMS	OUNCES OF SHOT	SHOT SIZES
FIELD LOADS	12	2¾	3	1	4, 5, 6, 8
	12	2¾	3	1⅛	6, 8
	12	2¾	3¼	1⅛	4, 5, 6, 7½, 8, 9
	12	2¾	3¼	1¼	7½, 8
		May also be used where heavier trap loads are permissible			
	16	2¾	2½	1	6, 8
	16	2¾	2¾	1⅛	4, 5, 6, 7½, 8, 9
	20	2¾	2¼	⅞	6, 8
	20	2¾	2½	1	4, 5, 6, 7½, 8, 9
SCATTER LOADS	*12	2¾	3	1⅛	8

*Special wad column

SHOT SIZE SUGGESTIONS

	SHELL	SHOT SIZE	SUGGESTED CHOKES	WHAT EXPERIENCED HUNTERS SAY . . .
DUCKS	"Express" "High Velocity"	4, 5, 6	**Full**—For Pass Shooting **Modified**—Over Decoys	Use No. 4 shot for long range and pass shooting. For normal range — No. 5 or No. 6 shot while some hunters use No. 7½ shot for closer range shooting over decoys.
GEESE	"Express" "High Velocity"	BB, 2, 4	**Full**	Goose hunters need wallop to fold up their birds so they use the big loads with large shot. Many hunters prefer No. 4 shot for a denser pattern at shorter ranges over decoys.
PHEASANTS	"Express" "High Velocity"	5, 6	**Improved Cylinder**—Close Cover **Modified or Full**—For Long Cornfield Shots	For cornfield shooting where long shots are usual — better use No. 5. On a normal rise over dogs and for all around use, No. 6 is the favorite. Bigger shot may be dangerous when hunting in large groups.
GROUSE OR PARTRIDGE	"Express" "High Velocity" or "Shur Shot" "Victor"	5, 6 7½, 8	**Improved Cylinder or Modified**—For Brush Work **Full**—For Open Ranges	On the smaller birds such as ruffed grouse or Hungarian Partridge use the smaller shot. The big western grouse (sage, sooty, and blue) call for heavier loads and larger shot.
QUAIL	"Shur Shot" "Victor"	7½, 8, 9	**Improved Cylinder or Modified**	For early season shooting on bob-whites when feathers are light some hunters use No. 9 shot. Later they switch to No. 7½ or No. 8. On the running and wild flushing type of quail, such as the Gambel's, larger shot is sometimes used.
DOVES & PIGEONS	"Express" "High Velocity" or "Shur Shot" "Victor"	6, 7½, 8	**Modified**	You can do a good job on mourning doves at normal ranges with the lighter loads and No. 7½ or No. 8 shot — but for longer ranges use the heavy loads and No. 6 or No. 7½. Use the same load on band-tailed pigeons and white wings.
WOODCOCK	"Shur Shot" "Victor"	7½, 8, 9	**Improved Cylinder or Modified**	Your choice of shot size here will depend on ranges at which your game is shot. For fast shooting in the alder thickets, No. 8 shot is a good choice.
RABBITS	"Express" "High Velocity" or "Shur Shot" "Victor"	4, 5, 6	**Improved Cylinder or Modified**—For Brush **Full**—For Long Open Shots	For cottontail rabbits at normal range, the lighter loads are suitable, but for larger game such as jack rabbits and snow shoe rabbits use heavy loads.
SQUIRRELS	"Express" "High Velocity"	5, 6	**Modified**	Most hunters use 5's or 6's and prefer the heavy loads particularly in the tall timber.
RAIL	"Shur Shot" "Victor"	7½, 8, 9	**Improved Cylinder**	For the little sora rail No. 8 or No. 9 does the job while many hunters use No. 7½ on the marsh hen or clapper rail.
TURKEY	"Express" "High Velocity"	BB, 2, 4 5, 6, 7½	**Full**	Choice of shot size depends on your range. If you're a good caller No. 6 or No. 7½ shot makes a clean kill. BB's, No. 2's, 4's and 5's are best for long shots.
FOX	"Express" "High Velocity"	BB, 2, 4	**Full**	It's a toss-up between BB's and No. 2 shot. But remember — the smaller the shot, the denser the pattern.
DEER, BLACK BEAR & WOLF	"Express" "High Velocity"	Rifled Slug and Buck Shot	For rifled slugs and buckshot any choke may be used. Best results are obtained with Improved Cylinder	For deer and black bear 12 and 16 gauge slugs are the best. 0 and 00 Buckshot are the most popular sizes for deer hunters who use buckshot.

TYPE OF LOAD	GAUGE	LENGTH SHELL INCHES	POWDER EQUIV. DRAMS	OUNCES OF SHOT	SHOT SIZES
LONG RANGE LOADS	* 10	2⅞	8	—	Yacht Gun Blank **
	* 10	2⅞	4¾	1⅝	4 **
	12	2¾	3¾	1¼	BB, 2, 4, 5, 6, 7½, 9
	16	2¾	3¼	1⅛	4, 5, 6, 7½, 9
	20	2¾	2¾	1	4, 5, 6, 7½, 9
	28	2¾	2¼	¾	6, 7½, 9†
	*410	2½	—	½	4, 6, 7½, 9†
	*410	3	—	¾	4, 5, 6, 7½, 9†
MAGNUM LOADS	* 10	3½	5	2	2, (Mag.) **
	12	2¾	4	1½	2, 4, 5, 6 (Mag.)
	12	3	4½	1⅞	BB, 2, 4 (Mag.)
	12	3	4¼	1⅝	2, 4, 6 (Mag.)
	16	2¾	3½	1¼	2, 4, 6 (Mag.)
	20	2¾	3	1⅛	4, 6, 7½ (Mag.)
	20	3	3¼	1¼	4, 6, 7½ (Mag.)
"POWER-PAKT"• BUCKSHOT LOADS	12	2¾	3¾	—	00 Buck- 9 Pellets
	12	2¾	3¾	—	0 Buck-12 Pellets
	12	2¾	3¾	—	1 Buck-16 Pellets
	12	2¾	3¾	—	4 Buck-27 Pellets
	16	2¾	3	—	1 Buck-12 Pellets
	20	2¾	2¾	—	3 Buck-20 Pellets
"POWER-PAKT"• MAGNUM BUCKSHOT LOADS	12	2¾	4	—	00 Buck-12 Pellets
	12	3	4½	—	00 Buck-15 Pellets
	12	2¾	4	—	1 Buck-20 Pellets
	12	3	4½	—	4 Buck-41 Pellets

RIFLED SLUG LOADS						Velocity Muz.	Velocity 50 Yds.	Energy—F.P Muz.	Energy—F.P 50 Yds.
	* 12	2¾	3¾	1	Rifled Slug	1600	1175	2485	1340
	* 16	2¾	3	⅞	Rifled Slug	1600	1175	2175	1175
	* 20	2¾	2¾	⅝	Rifled Slug	1600	1175	1555	840
	*410	2½	—	⅕	Rifled Slug	1830	1335	650	345

†28 Ga. and 410 Ga. 9 shot marked "Skeet Loads". *Standard wad column. **Remington Brand.

•**"POWER-PAKT" BUCKSHOT LOADS.** Controlled distribution of a granulated polyethylene filler material helps to cushion the shot pellets . . . reducing shot distortion, and improving shot patterns.

Remington-Peters Trap & Skeet Loads

with "POWER PISTON" One-Piece Wad Column deliver Championship Patterns at all yardages

Try a case of Remington or Peters trap or skeet loads and score the difference in your shooting.

Get all the plus features of "Power Piston" one-piece wad column at trap or skeet.

Your own shooting experience will show you why they're the most effective loads ever developed.

"POWER PISTON" One-Piece Wad Column

A one-piece lightweight plastic wad and shot container cushions the shot, reduces recoil and results in target-breaking patterns at all shooting distances.

The "Power Piston" gives the shot a perfect start . . . prevents pattern-ruining shot deformation two ways. First, by completely eliminating contact with the metal of the barrel. Secondly, the exclusive "cushion" at the bottom absorbs the initial shock of firing . . . avoids violent jamming of the pellets against each other. And because the "Power Piston" weighs less than other wad columns, you get less recoil. With less weight to push out of the barrel — plus the cushioning effect — your gun does not come back as hard.



	GAUGE	POWDER EQUIV. DRAMS	OUNCES OF SHOT	SHOT SIZE
12 GAUGE "ALL-AMERICAN" TRAP & SKEET LOADS WITH "POWER PISTON"	12	2¾	1⅛	7½, 8, 9
	12	3	1⅛	7½, 8, 9
16, 20, 28 GAUGE TRAP & SKEET LOADS WITH "POWER PISTON"	16	2½	1	9
	20	2¼	⅞	9
	28	2¼	¾	9
12 GAUGE INTERNATIONAL TARGET LOADS WITH "POWER PISTON"	12	3¼	1¼	7½, 8
	12	3¼	1¼	7½, 8 (Nickeled)
		LENGTH		
410 GAUGE SKEET LOADS WITH STANDARD WAD COLUMN	410	2½	½	9
	410	3	¾	9

SHOT			BUCK SHOT		
Number	Diam. in Inches	Approx. Pellets in 1 Oz.	Number	Diam. in Inches	Approx. Pellets in 1 Lb.
12	.05	2385			
9	.08	585			
8	.09	410	4	.24	340
7½	.09½	350			
6	.11	225	3	.25	300
5	.12	170			
4	.13	135	1	.30	175
2	.15	90	0	.32	145
BB	.18	50	00	.33	130

REMINGTON TARGET THROWER

REMINGTON "WONDER" TRAPS for Skeet Shooting



All-New... "ALL-AMERICAN" 12 GAUGE TRAP AND SKEET LOADS!

New Remington and Peters "All-American" 12 gauge trap and skeet loads deliver championship patterns at all yardages back to 27 (and farther). Faster, with less recoil, the new "All-American" with "Power Piston" is now *more reloadable* than ever.

The "All-American" load features a completely redesigned base wad, molded of the same space-age, high strength plastic as the shell body itself. What's more, we've found a way to join base wad, shell body and brass head together into one solid, inseparable unit.

In addition to famous "Power Piston" one-piece wad, you get extra-hard shot and many other features that have made the Remington-Peters "All-American" loads the best-patterning, lightest recoil loads on the market (and as for speed . . . there are none faster).

This new shell holds together longer, lasts longer. Which means, simply, that you can now get *many more reloads* out of every Remington or Peters hull than you ever could before.

Remington Trap and Skeet Equipment

Among the items produced for the clay target sports are:

REMINGTON TARGET THROWER

All you need to enjoy shotgun sport all year round are Remington "Blue Rock" targets and a Remington target thrower. Easy to use. Throw targets any way you like.

REMINGTON "WONDER" TRAP

For straight trap and skeet. Tested in service . . . proved in practice. "Wonder" trap meets every requirement. Less vibration, automatically "sets" itself. Instant adjustment.

REMINGTON "WONDER" TRAPS for Skeet Shooting

Two Remington "Wonder" traps with Remington's Electric release.

REMINGTON "BLUE ROCK" TRAP

For straight trap and skeet. Throws either doubles or singles. Ideal for small clubs or private estates. Available also as complete skeet outfit: 2 "Blue Rock" Traps.

REMINGTON "EXPERT" TRAP

A strong, lightweight, sturdily built portable trap. Smooth operating. Just right for use at summer camps, cottages, aboard boats, or for trips into the country. Fine for "walk up" shooting games.

REMINGTON "BLUE ROCK" TARGETS

The Remington square shoulder "Blue Rock" has weight where weight belongs! Dome of target is thin, rim is heavier, giving greater stability, more spin. More pronounced shot rings on dome catch shot — targets break easier when hit by only a few pellets. All adding up to higher scores!

REMINGTON "WONDER" TRAP





REMINGTON "BLUE ROCK" TRAP



REMINGTON "EXPERT" TRAP

REMINGTON "BLUE ROCK" TARGETS

"Core-Lokt"..

....the No. 1 Mushroom

You're looking at the big reason why "Core-Lokt" has dropped more big game than any other bullet.

In all Remington-Peters "Core-Lokt" bullets, jacket and core are locked together by heavy mid-section. The bullet stays in one piece . . . for greater striking power.


"Kleanbore" Non-corrosive Priming provides split-second ignition.
Progressive Burning Powder provides proper velocity and extreme accuracy at safe pressure limits.
Top Quality Brass Case with micro-close tolerances.
Notched jacket and thick mid-section assures uniform expansion.

Call it "expansion" or "mushrooming" or anything you want.

Without it, a big-game bullet isn't worth the powder to blow it out of the barrel.

That's why so many shooters put their faith in the *corus-lockus* Remington-Peters — the deadliest mushroom. And why "Core-Lokt" drops more big game each year than any other bullet.

It figures. "Core-Lokt" mushrooms to over twice its original caliber. Yet holds jacket and core in one piece for maximum penetration.

Result: More shocking and stopping power than any other bullet you can name. Sure, there are other big-game expanding bullets. But none of them are constructed quite like a "Core-Lokt" from Remington-Peters.

In three bullet types, 26 different big-game calibers, 52 separate loadings.

REMINGTON-PETERS

WIDE SELECTION OF BULLETS

MEANS MORE GAME,

MORE TROPHIES FOR YOU

"CORE-LOKT" SOFT POINT
A good choice for medium and big game . . . especially when you're hunting in heavy brush. Exclusive Remington-Peters "Core-Lokt" design assures deep penetration and controlled expansion — up to double normal caliber!

"CORE-LOKT" POINTED SOFT POINT
A fine bullet for bringing down game at long range, the Remington-Peters Pointed Soft Point "Core-Lokt" has flatter trajectory, maximum remaining velocity, maximum striking energy.

"CORE-LOKT" HOLLOW POINT
Here's a real game getter! It assures deep penetration and controlled expansion. Similar in use to Remington-Peters Soft Point "Core-Lokt," but designed for less rapid mushrooming.

BRONZE POINT EXPANDING
An excellent all around type of bullet with a unique design, the Remington-Peters Bronze Point has good wind-bucking qualities. It travels with a flat trajectory, and has high remaining velocity and fine accuracy at long range.

"Power-Lokt"
the Straight Shooter

The hollow in the point in combination with the nose cuts in the jacket of the varmint hunting bullet controls the expansion. Maximum, game-getting shocking power is delivered at all ranges.

Shown are samples from a firing test, using 222 Remington 50 grain "Power-Lokt" Hollow Point varmint hunting bullets. Test bullets were fired into 20% gelatin at 100 yards. Notice how core and jacket expand together, uniformly and without separation, a good indication of the tenacity of the jacket-to-core bond.

Get super accuracy with "Power-Lokt" bullets. A revolutionary process of manufacturing center fire bullets delivers pinpoint accuracy to a degree never before attainable. Accuracy that will cut group sizes in half. How?

"POWER-LOKT" Produces a perfectly balanced, concentric bullet.

"POWER-LOKT" Sets a new manufacturing standard for bullet uniformity.

"POWER-LOKT" Forms a complete-surface bond inseparable between core and jacket.

CALIBER SUGGESTIONS

FOR BIGGER GAME Moose, elk, grizzly and brown bear, caribou.	FOR HARD TO REACH GAME Antelope, mountain goat, mountain sheep.
280 Remington 165 grain S.P.C.L. 150 grain Ptd. S.P.C.L.	**6.5mm Remington Mag.** 120 grain Ptd. S.P.C.L.
7mm Remington Mag. 175 grain Ptd. S.P.C.L.	**270 Win.** 130 grain Ptd. S.P.C.L. 130 grain B.P.
30-06 Spfd. 220 grain S.P.C.L. 180 grain Ptd. S.P.C.L.	**264 Win. Mag.** 140 grain Ptd. S.P.C.L.
308 Win. 150 grain Ptd. S.P.C.L. 180 grain Ptd. S.P.C.L.	**280 Remington** 150 grain Ptd. S.P.C.L. 125 grain Ptd. S.P.C.L.
300 H&H Mag. 180 grain Ptd. S.P.C.L.	**7mm Remington Mag.** 125 grain Ptd. S.P.C.L. 150 grain Ptd. S.P.C.L.
300 Win. Mag. 150 grain Ptd. S.P.C.L. 180 grain Ptd. S.P.C.L.	**30-06 Spfd.** 150 grain Ptd. S.P.C.L. 150 grain B.P. 180 grain Ptd. S.P.C.L.
350 Remington Mag. 200 grain Ptd. S.P.C.L. 250 grain Ptd. S.P.C.L.	**300 H&H Mag.** 180 grain Ptd. S.P.C.L.
Elephant and Rhino 375 H&H Mag. 270 grain S.P. 300 grain M.C.	**300 Win. Mag.** 150 grain Ptd. S.P.C.L. 180 grain Ptd. S.P.C.L.
458 Win. Mag. 510 grain S.P. 500 grain M.C.	

ANOTHER GOOD SELECTION For deer, mountain lion, black bear, jaguar.	FOR SMALLER GAME Woodchuck, fox, bobcat, coyote, wolf.
6mm Remington 100 grain Ptd. S.P.C.L.	**222 Remington** 50 grain Ptd. S.P. 50 grain H.P.P.L.
243 Win. 100 grain Ptd. S.P.C.L.	**222 Remington Mag.** 55 grain Ptd. S.P. 55 grain H.P.P.L.
264 Win. Mag. 100 grain Ptd. S.P.C.L. 140 grain Ptd. S.P.C.L.	**223 Remington** 55 grain Ptd. S.P. 55 grain H.P.P.L.
270 Win. 150 grain S.P.C.L. 130 grain Ptd. S.P.C.L.	**243 Win.** 80 grain Ptd. S.P. 80 grain H.P.P.L. 100 grain Ptd. S.P.C.L.
280 Remington 165 grain S.P.C.L. 150 grain Ptd. S.P.C.L.	**22-250 Remington** 55 grain Ptd. S.P. 55 grain H.P.P.L.
7mm Remington Mag. 125 grain Ptd. S.P.C.L. 150 grain Ptd. S.P.C.L. 175 grain Ptd. S.P.C.L.	**6mm. Remington** 80 grain Ptd. S.P. 80 grain H.P.P.L.
30-30 Win. 170 grain S.P.C.L.	**6.5mm. Remington Mag.** 120 grain Ptd. S.P.C.L.
308 Win. 150 grain Ptd. S.P.C.L.	**270 Win.** 100 grain Ptd. S.P.
30-06 Spfd. 180 grain S.P.C.L. 180 grain Ptd. S.P.C.L. 150 grain B.P. 180 grain B.P.	**280 Remington** 125 grain Ptd. S.P.C.L.
Remington 200 grain S.P.C.L. 150 grain Ptd. S.P.C.L.	**30-06 Spfd.** 110 grain Ptd. S.P.
	308 Win. 110 grain Ptd. S.P.

INTERCHANGEABILITY CHART Cartridges in groups shown below will interchange

RIM FIRE
22 W.R.F.
22 Remington Special
22 Win. M/1890

25 Stevens Short in
25 Stevens but not conversely

32 Short in
32 Long but not conversely

CENTER FIRE
25-20 Remington
25-20 W.C.F.
25-20 Win.
25-20 Win. Hi-Speed
25-20 Marlin

25 Automatic
25 Automatic Colt Pistol (ACP)
25 (6.35 mm) Automatic Pistol
6.35 mm Browning

30-30 Sav.
30-30 Win.
30-30 Marlin
30-30 Win. Hi-Speed
30 W.C.F.

32 Short Colt in
32 Long Colt but not conversely
SEE NOTE A

32 Colt Automatic
32 Automatic Colt Pistol (ACP)
32 (7.65 mm) Automatic Pistol
7.65 mm Automatic Pistol
7.65 mm Browning (not interchangeable with 7.65 mm Luger)

32 S. & W. in
32 S. & W. Long but not conversely

32 S. & W., Long
32 Colt New Police
32 Colt Police Positive

32 Remington★
32 Marlin★
32 W.C.F.★
32 Win.★
32-30 Win.★
32-20 Win. Hi-Speed★
32-20 Marlin★
32-20 Colt L.M.R.★
32-20 W.C.F.★
32-20 Win. and Marlin★

38 S. & W.
38 Colt New Police

38 Short Colt in
38 Long Colt but not conversely
Both can be used in 38 Special

38 Colt Special
38 S. & W. Special
38 Targetmaster
38 S. & W. Special Mid-Range
38 Special Hi-Speed (•)
SEE NOTE B

38-44 Special (•)
38 Special
38 Special Flat Point

38 Marlin
38 Win.
38 Remington
38-40 Win.
38 W.C.F.

38 Automatic in
38 Super but not conversely

380 Automatic
9 mm Browning Short (Corto, Kurz)

9 mm Luger
9 mm Parabellum SEE NOTE C

44 S. & W. Special SEE NOTE D
44 Remington Magnum

44 Marlin
44 Win.
44 Remington
44-40 Win.
44 W.C.F.

45-70 Government
45-70 Marlin, Win.
45-70-405

NOTE: ★Hi-Speed Cartridges must not be used in Revolvers. They should be used only in rifles made especially for them. Exceptions: items marked (•) are designed especially for the 38-44 S. & W. Revolver and the 38 Colt Shooting Master. Check with the manufacturer of light frame guns prior to use of Hi-Speed ammunition to determine their suitability.

NOTE A: Not for use in revolvers chambered for 32 S. & W. or 32 S. & W. Long.

NOTE B: All 38 Special cartridges can be used in 357 Magnum revolvers but not conversely.

NOTE C: 9mm sub-machine gun cartridge should not be used in hand guns.

NOTE D: 44 S. & W. Special can be used in 44 Remington Magnum Revolvers but not conversely.

HOW TO USE THE REMINGTON-PETERS BALLISTICS CHARTS

All velocity and energy figures shown in the following charts have been derived using test barrels of established lengths, in conformance with procedures established by the Sporting Arms and Ammunition Manufacturers' Institute.

The advantage of such established barrel lengths is obvious.

Since many rifles are available in a variety of barrel lengths, it would be difficult, if not impossible, to show performance figures for every barrel length available on today's market.

Reasonable approximations of velocity for barrels of any length can be made, however, using the table below.

CENTER FIRE RIFLE VELOCITY vs. BARREL LENGTH

Muzzle Velocity Range (fs)	Approximate Change in Velocity for Each 1" Change in Barrel Length (fs)
2000 — 2500	10
2500 — 3000	20
3000 — 3500	30
3500 — 4000	40

1. Determine how much shorter (or longer) your barrel is than the test barrel length.
2. In the left hand column (table above), select the muzzle velocity class in which your cartridge falls.
3. Reading to the right, determine the approximate change in velocity per inch of barrel length.
4. Multiply this figure by the difference in length from test barrel.
5. Subtract this figure from the muzzle velocity shown for your cartridge for shorter barrels. Add this figure to the muzzle velocity shown for longer barrels.

TRAJECTORY

The "Trajectory" figures shown in the following tables are actually the rise or drop in inches of the bullet from the line of sight at selected yardages, with sighting-in distances set at 100 or 200 yards. See drawing (below).



The line of sight used in the computations is .9" above the axis of the bore. This height is common to iron sights and low mounted 'scopes.

The tables may be used as well for high mounted 'scopes (1½" above axis of the bore). The difference in drops at the extreme 500 yard range is a mere .7". It is even less at intermediate ranges.

Since the rise or drop figures shown at the stated yardages are points of impact, it is necessary to hold low for (+) figures at these ranges. Conversely, hold high for (—) figures shown.

If you use the same cartridge a great deal of the time, you can commit the rise or drop figures for that cartridge to memory, and know instantly the right "hold," as soon as you estimate the range of your game or target.

Remington Peters Center Fire Rifle Cartridge Calibers

NO.	CARTRIDGES	BULLET Wt.-Grs.	BULLET Style	VELOCITY — FEET PER SECOND Primer No.	Muzzle	100 YDS.	200 YDS.	300 YDS.	400 YDS.	500 YDS.	ENERGY — FOOT POUNDS Muzzle	100 YDS.	200 YDS.	300 YDS.	400 YDS.	500 YDS.	TRAJECTORY† RIFLE SIGHTED IN AT 100 YDS. 50 YDS.	100 YDS.	200 YDS.	300 YDS.	RIFLE SIGHTED IN AT 200 YDS. 100 YDS.	200 YDS.	300 YDS.	400 YDS.	500 YDS.	BARREL
1	218 BEE	46*	Hollow Point	6½	2860	2160	1610	1200			835	475	265	145			+0.2	⊕	—6.4	—25.9						24"
2	22 HORNET	45*	Soft Point	6½	2690	2030	1510	1150			720	410	230	130			+0.3	⊕	—7.8	—30.5						24"
		45	Hollow Point	6½	2690	2030	1510	1150			720	410	230	130			+0.3	⊕	—7.8	—30.5						
3	222 REMINGTON	50	Hollow Point Power-Lokt	7½	3200	2690	2230	1830			1140	800	550	370			0.0	⊕	—4.0	—15.0						26"
		50*	Pointed Soft Point	7½	3200	2660	2170	1750			1140	785	520	340			0.0	⊕	—4.0	—15.7						
		50	Metal Case	7½	3200	2660	2170	1750			1140	785	520	340			0.0	⊕	—4.0	—15.7						
4	222 REMINGTON MAGNUM	55	Hollow Point Power-Lokt	7½	3300	2830	2400	2010			1330	975	700	490			0.0	⊕	—3.5	—13.1						26"
		55*	Pointed Soft Point	7½	3300	2800	2340	1930			1330	955	670	455			0.0	⊕	—3.6	—13.8						
5	22-250 REMINGTON	55	Hollow Point Power-Lokt	9½	3810	3330	2890	2490	2120	1800	1770	1360	1020	760	550	390					+1.1	⊕	—5.3	—16.3	—35.1	26"
		55*	Pointed Soft Point	9½	3810	3270	2770	2320	1920	1580	1770	1300	935	655	450	305					+1.2	⊕	—5.8	—18.1	—40.1	
6	223 REMINGTON (5.56mm)	55	Hollow Point Power-Lokt	7½	3300	2830	2400	2010			1330	975	700	490			0.0	⊕	—3.5	—13.1						26"
		55*	Pointed Soft Point	7½	3300	2800	2340	1930			1330	955	670	455			0.0	⊕	—3.6	—13.8						
7	6mm REMINGTON	80	Pointed Soft Point	9½	3540	3130	2750	2400	2080	1790	2220	1740	1340	1018	770	570					+1.3	⊕	—6.0	—18.0	—38.3	26"
		80	Hollow Point Power-Lokt	9½	3540	3130	2750	2400	2080	1790	2220	1740	1340	1018	770	570					+1.3	⊕	—6.0	—18.0	—38.3	
		100*	Pointed Soft Point Core-Lokt	9½	3190	2920	2660	2420	2190	1980	2260	1890	1570	1300	1060	870					+1.6	⊕	—6.5	—18.9	—38.7	
8	243 WIN.	80	Pointed Soft Point	9½	3500	3080	2720	2410			2180	1690	1320	1030			—0.1	⊕	—2.8	—10.2						26"
		80	Hollow Point Power-Lokt	9½	3450	3050	2675	2330	2020	1735	2115	1650	1270	965	725	535	—0.1	⊕	—2.9	—10.6	+1.4	⊕	—6.3	—19.1	—40.5	
		100*	Pointed Soft Point Core-Lokt	9½	3070	2790	2540	2320			2090	1730	1430	1190			0.0	⊕	—3.5	—12.2						
9	244 REMINGTON	90*	Pointed Soft Point	9½	3200	2850	2530	2230			2050	1630	1280	995			—0.1	⊕	—3.4	—12.3						26"
10	25-20 WIN.	86	Lead	6½	1460	1180	1030	940			405	265	200	170			+2.1	⊕	—23.9	—79.4						24"
		86*	Soft Point	6½	1460	1180	1030	940			405	265	200	170			+2.1	⊕	—23.9	—79.4						
11	25-35 WIN.	117*	Soft Point Core-Lokt	9½	2300	1950	1680	1460			1370	985	730	555			+0.5	⊕	—8.2	—28.6						26"
12	250 SAV.	100*	Pointed Soft Point	9½	2820	2500	2210	1940			1760	1390	1080	835			+0.1	⊕	—4.8	—16.5						24"
		100	Soft Point Core-Lokt	9½	2820	2350	1970	1670			1760	1220	860	620			+0.1	⊕	—5.3	—19.5						
13	6.5mm REMINGTON MAGNUM	120*	Pointed Soft Point Core-Lokt	9½M	3030	2750	2480	2230	2000	1790	2450	2010	1640	1330	1070	850					+1.8	⊕	—7.5	—22.0	—45.4	20"
14	257 ROBERTS	117*	Soft Point Core-Lokt	9½	2650	2280	1950	1690			1820	1350	985	740			+0.2	⊕	—5.7	—20.6						24"
15	264 WIN. MAGNUM	100	Pointed Soft Point Core-Lokt	9½M	3700	3260	2880	2550	2270	2030	3040	2360	1840	1440	1140	915					+1.1	⊕	—5.5	—15.6	—32.2	26"
		140*	Pointed Soft Point Core-Lokt	9½M	3200	2940	2700	2480	2280	2100	3180	2690	2270	1910	1620	1370					+1.5	⊕	—6.1	—18.4	—36.7	

Cartridge illustrations approximate size.

*Illustrated Above.

Ballistics figures established in test barrels in accordance with standards set by Sporting Arms and Ammunition Manufacturers' Institute.

†Inches above (+) or below (—) line of sight. Hold low for (+) figures, high for (—) figures.

Remington Peters Center Fire Rifle Cartridge Calibers

NO.	CARTRIDGES	BULLET Wt.-Grs.	BULLET Style	Primer No.	VELOCITY — FEET PER SECOND Muzzle	100 YDS.	200 YDS.	300 YDS.	400 YDS.	500 YDS.	ENERGY — FOOT POUNDS Muzzle	100 YDS.	200 YDS.	300 YDS.	400 YDS.	500 YDS.	TRAJECTORY† RIFLE SIGHTED IN AT 100 YDS. 50 YDS.	100 YDS.	200 YDS.	300 YDS.	TRAJECTORY† RIFLE SIGHTED IN AT 200 YDS. 100 YDS.	200 YDS.	300 YDS.	400 YDS.	500 YDS.	BARREL
16	270 WIN.	100	Pointed Soft Point	9½	3480	3070	2690	2340	2010	1700	2690	2090	1600	1215	890	640					+1.3	⊕	—6.3	—18.5	—38.7	
		150	Soft Point Core-Lokt	9½	2800	2440	2140	1870	1660	1470	2610	1980	1520	1160	915	720					+2.4	⊕	—9.5	—29.6	—61.7	24″
		130	Pointed Soft Point Core-Lokt	9½	3140	2850	2580	2320	2090	1860	2840	2340	1920	1550	1260	1000					+1.6	⊕	—7.0	—20.1	—40.7	
		130*	Bronze Point	9½	3140	2880	2630	2400	2180	1980	2840	2390	1990	1660	1370	1130					+1.6	⊕	—6.5	—19.6	—39.7	
17	280 REMINGTON	125	Pointed Soft Point Core-Lokt	9½	3190	2880	2590	2320	2070	1840	2820	2300	1860	1490	1190	940					+1.6	⊕	—6.7	—19.8	—41.5	
		150*	Pointed Soft Point Core-Lokt	9½	2900	2670	2450	2250	2050	1870	2800	2370	2000	1680	1400	1160					+2.0	⊕	—7.8	—22.5	—45.5	24″
		165	Soft Point Core-Lokt	9½	2820	2510	2220	1970	1740	1530	2910	2310	1810	1420	1110	860					+2.3	⊕	—9.3	—27.6	—57.5	
18	7mm REMINGTON MAGNUM	125	Pointed Soft Point Core-Lokt	9½M	3430	3080	2750	2450	2160	1900	3260	2630	2100	1660	1300	1010					+1.1	⊕	—5.7	—17.2	—36.2	
		150*	Pointed Soft Point Core-Lokt	9½M	3260	2970	2700	2450	2210	1990	3540	2940	2430	1990	1620	1310					+1.5	⊕	—6.3	—18.4	—37.7	26″
		175	Pointed Soft Point Core-Lokt	9½M	3070	2850	2630	2430	2240	2060	3660	3150	2700	2290	1950	1640					+1.7	⊕	—6.7	—19.3	—39.0	
19	7mm MAUSER	175*	Soft Point	9½	2490	2170	1900	1680			2410	1830	1400	1100			+0.3	⊕	—6.4	—22.4						24″
20	30 CARBINE	110*	Soft Point	6½	1980	1540	1230	1040			955	575	370	260			+1.0	⊕	—14.1	—51.8						18″
21	30-30 WIN.	170	Hollow Point Core-Lokt	9½	2220	1890	1630	1410			1860	1350	1000	750			+0.7	⊕	—8.2	—29.6						
		170	Soft Point Core-Lokt	9½	2220	1890	1630	1410			1860	1350	1000	750			+0.7	⊕	—8.2	—29.6						26″
		150*	Soft Point Core-Lokt	9½	2410	1960	1620	1360			1930	1280	875	615			+0.4	⊕	—8.3	—29.5						
22	30 REMINGTON	170*	Soft Point Core-Lokt	9½	2120	1820	1560	1350			1700	1250	920	690			+0.6	⊕	—9.5	—33.8						24″
23	30-40 KRAG	180*	Soft Point Core-Lokt	9½	2470	2120	1830	1590			2440	1790	1340	1010			+0.3	⊕	—6.4	—23.4						28″
		180	Pointed Soft Point Core-Lokt	9½	2470	2250	2040	1850			2440	2020	1660	1370			+0.3	⊕	—6.1	—20.2						
24	30-06 SPRINGFIELD	220	Soft Point Core-Lokt	9½	2410	2120	1870	1670			2830	2190	1710	1360			+0.3	⊕	—6.7	—23.6						
		150	Pointed Soft Point Core-Lokt	9½	2970	2670	2400	2130	1890	1670	2930	2370	1920	1510	1190	930					+1.9	⊕	—7.5	—22.6	—45.7	
		150	Bronze Point	9½	2970	2710	2470	2240	2020	1820	2930	2440	2030	1670	1360	1100					+1.9	⊕	—7.5	—22.6	—45.7	
		180	Bronze Point	9½	2700	2480	2280	2080	1900	1730	2910	2460	2080	1730	1440	1190					+2.4	⊕	—8.5	—25.6	—52.7	24″
		125	Pointed Soft Point	9½	3200	2810	2480	2200	1960	1740	2840	2190	1710	1340	1070	840					+1.6	⊕	—7.4	—21.4	—44.9	
		180	Soft Point Core-Lokt	9½	2700	2330	2010	1740			2910	2170	1610	1210			+0.2	⊕	—5.6	—19.2						
		180*	Pointed Soft Point Core-Lokt	9½	2700	2470	2250	2040	1850	1670	2910	2440	2020	1660	1370	1110					+2.4	⊕	—9.0	—27.1	—55.7	
		110	Pointed Soft Point	9½	3370	2860	2400	1990			2770	2000	1410	965			—0.1	⊕	—3.4	—13.1						
25	300 SAV.	180*	Soft Point Core-Lokt	9½	2370	2040	1760	1520			2240	1660	1240	920			+0.4	⊕	—7.5	—25.3						
		180	Pointed Soft Point Core-Lokt	9½	2370	2160	1960	1770			2240	1860	1530	1250			+0.4	⊕	—6.5	—22.3						24″
		150	Soft Point Core-Lokt	9½	2670	2270	1930	1660			2370	1710	1240	915			+0.2	⊕	—5.9	—20.4						
		150	Pointed Soft Point Core-Lokt	9½	2670	2390	2130	1890			2370	1900	1510	1190			+0.2	⊕	—5.4	—17.9						
26	300 H. & H. MAGNUM	180*	Pointed Soft Point Core-Lokt	9½M	2920	2670	2440	2220	2020	1830	3400	2850	2380	1970	1630	1340					+1.9	⊕	—7.6	—22.5	—45.5	26″
27	300 WIN. MAGNUM	150	Pointed Soft Point Core-Lokt	9½M	3400	3050	2730	2430	2150	1890	3850	3100	2480	1970	1540	1190					+1.5	⊕	—6.1	—18.1	—37.7	
		180*	Pointed Soft Point Core-Lokt	9½M	3070	2850	2640	2440	2250	2060	3770	3250	2790	2380	2020	1700					+1.7	⊕	—6.9	—19.4	—38.9	26″
28	303 SAV.	180*	Soft Point Core-Lokt	9½	2140	1810	1550	1340			1830	1310	960	715			+0.6	⊕	—10.0	—33.8						26″
29	303 BRITISH	215*	Soft Point	9½	2180	1900	1660	1460			2270	1720	1310	1020			+0.6	⊕	—9.1	—30.2						26″
		180	Soft Point Core-Lokt	9½	2540	2300	2090	1900			2580	2120	1750	1440			+0.2	⊕	—5.8	—19.0						

Cartridge illustrations approximate size. *Illustrated Above.

Ballistics figures established in test barrels in accordance with standards set by Sporting Arms and Ammunition Manufacturers' Institute. †Inches above (+) or below (—) line of sight. Hold low for (+) figures, high for (—) figures.

Remington Peters Center Fire Rifle Cartridge Calibers

NO.	CARTRIDGES	BULLET Wt.-Grs.	BULLET Style	Primer No.	VELOCITY — FEET PER SECOND Muzzle	100 YDS.	200 YDS.	300 YDS.	400 YDS.	500 YDS.	ENERGY — FOOT POUNDS Muzzle	100 YDS.	200 YDS.	300 YDS.	400 YDS.	500 YDS.	TRAJECTORY† RIFLE SIGHTED IN AT 100 YDS. 50 YDS.	100 YDS.	200 YDS.	300 YDS.	TRAJECTORY† RIFLE SIGHTED IN AT 200 YDS. 100 YDS.	200 YDS.	300 YDS.	400 YDS.	500 YDS.	BARREL
30	308 WIN.	110	Pointed Soft Point	9½	3340	2810	2340	1920			2730	1930	1340	900			+0.0	⊕	—3.7	—13.6						
		150*	Pointed Soft Point Core-Lokt	9½	2860	2570	2300	2050	1810	1590	2730	2200	1760	1400	1090	840					+2.1	⊕	—8.5	—25.6	—53.7	24″
		180	Pointed Soft Point Core-Lokt	9½	2610	2390	2170	1970			2720	2280	1870	1540			+0.3	⊕	—5.0	—17.8						
		180	Soft Point Core-Lokt	9½	2610	2250	1940	1680			2720	2020	1500	1130			+0.2	⊕	—6.0	—20.8						
31	8mm (7.9mm) MAUSER	170*	Soft Point Core-Lokt	9½	2570	2140	1790	1520			2490	1730	1210	870			+0.3	⊕	—6.6	—24.7						23½″
32	32 REMINGTON	170*	Soft Point Core-Lokt	9½	2120	1800	1540	1340			1700	1220	895	680			+0.6	⊕	—9.5	—33.3						22″
33	32 WIN. SPECIAL	170	Hollow Point Core-Lokt	9½	2280	1920	1630	1410			1960	1390	1000	750			+0.5	⊕	—8.5	—29.8						26″
		170*	Soft Point Core-Lokt	9½	2280	1920	1630	1410			1960	1390	1000	750			+0.5	⊕	—8.5	—29.8						
34	32-20 WIN.	100*	Lead	6½	1290	1060	940	840			370	250	195	155			+2.8	⊕	—30.1	—97.2						24″
		100	Soft Point	6½	1290	1060	940	840			370	250	195	155			+2.8	⊕	—30.1	—97.2						
35	348 WIN.	200*	Soft Point Core-Lokt	9½	2530	2140	1820	1570			2840	2030	1470	1090			+0.3	⊕	—7.1	—23.7						24″
36	35 REMINGTON	150	Pointed Soft Point Core-Lokt	9½	2400	1960	1580	1280			1920	1280	835	545			+0.4	⊕	—8.1	—30.7						22″
		200*	Soft Point Core-Lokt	9½	2100	1710	1390	1160			1950	1300	855	605			+0.7	⊕	—10.9	—39.4						
37	350 REMINGTON MAGNUM	200	Pointed Soft Point Core-Lokt	9½M	2710	2410	2130	1870	1640	1430	3260	2570	2000	1550	1190	910	+0.2	⊕	—5.1	—18.0						20″
		250*	Pointed Soft Point Core-Lokt	9½M	2410	2190	1980	1790	1620	1460	3220	2660	2180	1780	1450	1180	+0.4	⊕	—6.4	—21.5						
38	351 WIN. SELF-LOADING	180*	Soft Point	6½	1850	1560	1310	1140			1370	975	685	520			+1.0	⊕	—14.5	—51.8						20″
39	375 H. & H. MAGNUM	270*	Soft Point	9½M	2740	2460	2210	1990	1800	1620	4500	3620	2920	2370	1940	1570					+2.4	⊕	—9.8	—27.6	—56.0	25″
		300	Metal Case	9½M	2550	2180	1860	1590	1380	1210	4330	3160	2300	1680	1200	975					+3.1	⊕	—12.5	—37.6	—79.2	
40	38-40 WIN.	180*	Soft Point	2½	1330	1070	960	850			705	455	370	290			+2.7	⊕	—29.1	—93.7						24″
41	444 MAR.	240*	Soft Point	9½	2400	1845	1410	1125			3070	1815	1060	675			+0.6	⊕	—9.6	—36.7						24″
42	44-40 WIN.	200*	Soft Point	2½	1310	1050	940	830			760	490	390	305			+2.8	⊕	—29.6	—95.2						24″
43	44 REMINGTON MAGNUM	240*	Soft Point	2½	1750	1360	1110	980			1630	985	655	510			+1.4	⊕	—17.5	—64.5						18½″
44	45-70 GOVERNMENT	405*	Soft Point	9½	1320	1160	1050	990			1570	1210	990	880			+2.4	⊕	—25.1	—81.2						22″
45	458 WIN. MAGNUM	510*	Soft Point	9½M	2130	1840	1600	1400			5140	3830	2900	2220			+0.6	⊕	—9.2	—32.1						25″
		500	Metal Case	9½M	2130	1910	1700	1520			5040	4050	3210	2570			+0.6	⊕	—8.9	—29.4						

Cartridge illustrations approximate size. *Illustrated Above.

Ballistics figures established in test barrels in accordance with standards set by Sporting Arms and Ammunition Manufacturers' Institute.

†Inches above (+) or below (—) line of sight. Hold low for (+) figures, high for (—) figures.

Remington-Peters Center Fire Pistol and Revolver Cartridge Calibers


"KLEANBORE" PRIMING
provides fast, snappy ignition. Does not cause rust and corrosion.
SOLID HEAD CONSTRUCTION
gives added strength to the cartridge case.
BRASS CASE
made of highest quality metal and produced to rigid specifications.
UNIFORM CRIMPING
contributes to fine accuracy and ideal combustion of powder.
POWDER
selected for maximum effective performance in handguns and carefully checked to insure uniform loading
SPECIALLY DESIGNED BULLET
with perfect weight and dimension specifications, carefully lubricated to increase accuracy and prevent barrel fouling.


BULLET TYPES
LEAD
General purpose bullet, for all kinds of shooting.
LEAD GAS-CHECK
Special gas-check heel cap seals gas behind bullet.
WAD CUTTER
Lead bullet designed for fine target shooting.
METAL CASE
A gilding metal jacketed bullet, used in automatic pistols.
METAL POINT
Gives better penetration than regular lead bullet because of non-fouling gilding metal jacket over nose.

NO.	CARTRIDGES	BULLET Primer No.	BULLET Wt.-Grs.	BULLET Style	VELOCITY — FEET PER SECOND Muzzle	VELOCITY — FEET PER SECOND 50 YDS.	VELOCITY — FEET PER SECOND 100 YDS.	ENERGY — FOOT POUNDS Muzzle	ENERGY — FOOT POUNDS 50 YDS.	ENERGY — FOOT POUNDS 100 YDS.	MID-RANGE TRAJECTORY 50 YDS.	MID-RANGE TRAJECTORY 100 YDS.	BARREL
1	22 REMINGTON "JET" MAGNUM	6½	40*	Soft Point	2100	1790	1510	390	285	200	0.3"	1.4"	8⅜"
2	221 REMINGTON "FIRE BALL"	7½	50*	Pointed Soft Point	2650	2380	2130	780	630	505	0.2"	0.8"	10½"
3	25 (6.35mm) AUTOMATIC PISTOL	1½	50*	Metal Case	810	775	700	73	63	54	1.8"	7.7"	2"
4	30 (7.65mm) LUGER AUTOMATIC PISTOL	1½	93*	Metal Case	1220	1110	1040	305	255	225	0.9"	3.5"	4½"
5	32 SHORT COLT	1½	80*	Lead	745	665	590	100	79	62	2.2"	9.9"	4"
6	32 LONG COLT	1½	82*	Lead	755	715	675	100	93	83	2.0"	8.7"	4"
7	32 COLT NEW POLICE	1½	100*	Lead	680	635	595	100	88	77	2.5"	11.0"	4"
8	32 (7.65mm) AUTOMATIC PISTOL	1½	71*	Metal Case	960	905	850	145	130	115	1.3"	5.4"	4"
9	32 S. & W.	5½	88*	Lead	680	645	610	90	81	73	2.5"	10.5"	3"
10	32 S. & W. LONG	1½	98*	Lead	705	670	635	115	98	88	2.3"	10.5"	4"
11	32-20 WIN.	6½	100*	Lead	1030	970	920	271	209	188	1.2"	4.4"	6"
12	357 MAGNUM	5½ 5½ 5½	158 158 158*	Soft Point Metal Point Lead	1550 1410 1410	1380 1240 1240	1230 1120 1120	845 695 695	665 540 540	530 440 440	0.5" 0.6" 0.6"	2.5" 2.8" 2.8"	8⅜" 8⅜" 8⅜"
13	9mm LUGER AUTOMATIC PISTOL	1½	124*	Metal Case	1120	1030	965	345	290	255	1.0"	4.1"	4"
14	38 S. & W.	1½	146*	Lead	685	650	620	150	135	125	2.4"	10.0"	4"
15	38 SPECIAL	1½ 1½ 1½ 1½ 1½ 1½	158 158* 200 158 148 158	Targetmaster, Lead Lead Lead Metal Point Targetmaster, Lead W.C. Lead (Hi-Speed)	855 855 730 855 770 1090	820 820 695 820 655 1030	790 790 665 790 560 980	255 255 235 255 195 415	235 235 215 235 140 370	220 220 195 220 105 335	1.6" 1.6" 2.2" 1.6" 2.1" 1.0"	6.5" 6.5" 9.0" 6.5" 10.0" 4.2"	6" 6" 6" 6" 6" 6"
16	38 SHORT COLT	1½	125*	Lead	730	685	645	150	130	115	2.2"	9.4"	6"
17	38 LONG COLT	1½	150*	Lead	730	700	670	175	165	150	2.1"	8.8"	6"
18	38-40 WIN.	2½	180*	Soft Point	975	920	870	380	338	302	1.5"	5.4"	5"
19	38 SUPER AUTOMATIC COLT PISTOL	1½	130*	Metal Case	1280	1140	1050	475	375	320	0.8"	3.4"	5"
20	38 AUTOMATIC COLT PISTOL	1½	130*	Metal Case	1040	980	925	310	275	245	1.0"	4.7"	4½"
21	380 AUTOMATIC PISTOL	1½	95*	Metal Case	955	865	785	190	160	130	1.4"	5.9"	3¾"
22	41 MAGNUM	2½ 2½	210* 210	Lead Soft Point	1050 1500	985 1350	930 1220	515 1050	450 850	405 695	1.0" 0.5"	4.4" 2.6"	8⅜" 8⅜"
23	44 S. & W. SPECIAL	2½	246*	Lead	755	725	695	310	285	265	2.0"	8.3"	6½"
24	44 REMINGTON MAGNUM	2½ 2½	240* 240	Lead Soft Point	1470 1470	1280 1300	1120 1170	1150 1150	875 900	670 730	0.6" 0.6"	2.7" 2.5"	6½" 6½"
25	44-40 WIN.	2½	200*	Soft Point	975	920	865	420	376	332	0.5"	5.7"	7½"
26	45 COLT	2½	250*	Lead	860	820	780	410	375	340	1.6"	6.6"	5½"
27	45 AUTOMATIC	2½ 2½ 2½	230 185* 230	Metal Case Metal Case Wad Cutter Metal Case, Targetmaster	850 775 850	810 695 810	775 625 775	370 245 370	335 200 335	305 160 305	1.6" 2.0" 1.6"	6.5" 9.0" 6.5"	5" 5" 5"
28	45 AUTOMATIC RIM	2½	230*	Lead	810	770	730	335	305	270	1.8"	7.4"	5½"
29	38 SMITH & WESSON also available in: 32 SMITH & WESSON 38 SPECIAL	1½ 1½ 1½	—* — —	Blank Blank Blank	—	—	—	—	—	—	—	—	—
30	5 IN 1†	2½	—*	Blank	—	—	—	—	—	—	—	—	—

Cartridge illustrations approximate size.

*Illustrated Above.

†Remington Brand — For use in 38/40 and 44/40 Rifles and 38/40, 44/40 and 45 Colt Revolvers.

Ballistics figures established in test barrels in accordance with standards set by Sporting Arms and Ammunition Manufacturers' Institute.

If you want better handloads get a load of these

Load your own? We can give you some powerful reasons to load with Remington. Right down the line.

Veteran handloaders claim Remington brass is stronger, more workable. (And you can choose from 73 different rifle, pistol and revolver calibers.)

Remington primers were used by over half of all the shooters at the National Bench Rest Championships.

Bullets? Remington "Power-Lokt" bullets consistently deliver half-inch groups at 100 yards. And the "Core-Lokt" bullet is the deadliest mushroom in the woods. Altogether you can choose from 114 different calibers, diameters, grain weights, and types.

Remington shot gets more inspections than any other shot made.

Our patented "Power Piston" one-piece wad is a handloader's dream. It puts up to 10% more pellets in every pattern. Gives you a 10% better chance to get your bird.

No mystery. The rounder the shot, the straighter it flies and the harder it hits. "Power Piston" keeps shot rounder. Keeps pellets from flattening against the barrel and against each other. So up to 10% more of them fly true.

More good news: We now make 13 different "Power Piston" wads. For every type of load, every kind of shooting.

You'll get a bigger bang out of any of them.

Our plastic hulls reload easier. Won't scuff, split or swell under any normal shooting or storage conditions. And our exclusive "Kleanbore" primers have led the field for over 40 years.

Want better handloads? Just get a load of Remington.

Remington-Peters 22 Rim Fire Cartridges

with Exclusive "Kleanbore" Priming

"HI-SPEED" and "HIGH VELOCITY" 22s with "golden" bullets

The exclusive "golden" bullet is made for perfect mesh with rifling of the barrel. And "Hi-Speed" or "High Velocity" 22s are clean because every "golden" bullet is coated with a specially formulated high-temperature lubricant. They shun dirt and grit and lint. And every "golden" bullet sizzles out of your barrel with full power. A "Hi- Speed" or "High Velocity" 22 has more velocity at 50 yards than ordinary 22s have at the muzzle.

	BULLET		VELOCITY — FT. PER SECOND		ENERGY — FOOT POUNDS		MID-RANGE TRAJECTORY
	Wgt.-Grs.	Style	Muzzle	100 YDS.	Muzzle	100 YDS.	100 YDS. Inches
22 SHORT	29	Lead	1125	920	81	54	4.3
	27	Hollow Point	1155	920	80	51	4.2
22 LONG	29	Lead	1240	965	99	60	3.8
22 LONG RIFLE	40	Lead	1335	1045	158	97	3.3
	36	Hollow Point	1365	1040	149	86	3.3
22 W.R.F. (REMINGTON SPECIAL)	45	Lead	1450	1110	210	123	2.7

SPECIAL "golden" BULLET PROTECTIVE PLATING

Gives a clean, hard, smooth finish. Will not collect lint, grit, sand or dirt that harms action, slows feeding, wears rifling.

STANDARD VELOCITY 22s

For shorter-range hunting, and for informal target shooting or plinking where fine accuracy is necessary, Remington or Peters Standard Velocity 22s are an excellent choice. Available in short and long rifle sizes. In all Remington and Peters ammunition you get the original and exclusive world-famed "Kleanbore" priming to keep your gun barrel bright and clean. For instant ignition and corrosion prevention shoot Remington or Peters "Kleanbore" 22s . . . the best friend your rifle ever had.

22 SHORT	29	Lead	1045	810	70	—	—
22 SHORT GALLERY	29	Lead	1045	—	70	—	—
	* 15	Composition	1710	—	97	—	—
22 LONG RIFLE	40	Lead	1145	975	116	84	4.0
22 WIN. AUTOMATIC	45	Lead	1055	930	111	86	4.6

MATCH LONG RIFLE 22s

SHOT AND BLANK RIM FIRE

Remington or Peters Match 22s have design and performance features never before available in match ammunition. They have a bullet shape micro-measured for consistency, with superb wind-bucking qualities — a silicone-base lubricant that makes it unnecessary to clean barrels between stages — a "Kleanbore" priming mixture that insures longer barrel accuracy life — and a close-tolerance brass case with rim shape for improved ignition.

MATCH	22 LONG RIFLE (RIFLE MATCH)	40	Lead	—	—	—	—	—
MATCH	22 LONG RIFLE (PISTOL MATCH)	40	Lead	—	—	—	—	—
	22 SHOT CARTRIDGE	#12 Shot	—	—	—	—	—	—
BLANK	22 SHORT	—	—	—	—	—	—	—

*New and Improved. Not for revolvers.

Catalog compliments of Remington Arms
of Canada limited. Not for sale.

The pocketproof 22's.



Pockets, unfortunately, just aren't the cleanest places.

But pockets are where 22 cartridges spend most of their lives—from the time they're dumped out of the box till they're fired.

So, in addition to being waterproof, dirtproof, mudproof, rustproof, foolproof and misfireproof, good 22's also have to be pocketproof.

Well, Remington/Peters 22's are.

That's why we call our high-speed rimfire cartridges the "clean 22's". We don't just *make* them clean; we make them to *fire* clean. (With our patented 'Kleanbore" priming.) And to stay that way *until* they're fired.

Every Remington/Peters "golden" bullet 22 we make is individually polished and coated with a special, nonsticky, greaseless lubricant.

That way, we make sure they'll come out of your pocket just as clean as they went in. And all the dirt, and lint, and bits of leaves, and old chewing-gum wrappers will stay behind.

After all, the action of your rifle is no place for dirt, and lint, and bits of leaves, and old chewing-gum wrappers.

But it's a great place for Remington/Peters 22's. Try a pocketful and see.

Remington, Wingmaster, Woodsmaster, Gamemaster, Speedmaster, Rangemaster, Matchmaster, Fieldmaster, Power Piston, Power-Lokt, Hi-Speed, Shur Shot, Core-Lokt, Fire Ball, Blue Rock, Expert, Wonder, Kleanbore, Targetmaster, Brushmaster, Jet, Victor, Peters, Krumble Ball, are trademarks registered in the United States Patent Office.

XP-100, Nylon 66, golden, Express, All-American, Power-Pakt, High Velocity, Spatterless, are trademarks of Remington Arms Company, Inc.

Zytel is a registered trademark of E. I. du Pont de Nemours & Co. for nylon resins.

E 6901

Remington PETERS
DU PONT

REMINGTON ARMS COMPANY, INC.
and PETERS CARTRIDGE DIVISION
BRIDGEPORT, CONNECTICUT 06602
In Canada: Remington Arms of Canada Limited,
36 Queen Elizabeth Blvd., Toronto 18, Ontario

MEMBER OF THE NATIONAL SHOOTING SPORTS FOUNDATION INC.

Printed in U.S.A.

Remington ·1969

MODEL	DESCRIPTION	HOWDEN NUMBER	RETAIL
5378	1100 Vent 16 ga. 28" Full	802-2345	233.75
5382	1100 Vent 16 ga. 28" Full	802-2386	233.75
5398	1100 Vent 20 ga. 28" Full	802-2428	233.75
5402	1100 Vent 20 ga. 28" Mod.	802-2469	233.75
5426	1100 Vent 28 ga. 25" Imp. Cyl.	802-2485	246.25
5296	1100 Vent 410 ga. 25" Imp. Cyl.	802-2519	246.25
5344	1100 Magnum Plain 12 ga. 30" Full	802-2501	221.50
5428	1100 Magnum Plain 20 ga. 28" Full	802-2584	221.50
5348	1100 Magnum Vent 12 ga. 30" Full	802-2626	252.25
5346	1100 Magnum Vent 12 ga. 28" Full	802-2667	252.25
5430	1100 Magnum Vent 20 ga. 28" Full	802-2709	252.25
5356	1100 SA Skeet Vent 12 ga. 26"SK	802-2808	239.95
5408	1100 SA Skeet Vent 20 ga. 26" SK	802-2840	239.95
5302	1100 SB Skeet Vent 12 ga. 26" SK	802-2725	270.75
5422	1100 SB Skeet Vent 20 ga. 26" SK	802-2766	270.75
5350	1100 TB Trap Vent Reg. 12 ga. 30" Full	802-2881	282.95
5288	1100 TB Trap Vent Reg. 12 ga. 30" Mod.	802-2865	282.95
5352	1100 TB Trap Vent Reg. 12 ga. 28" Full	802-2923	282.95
5354	1100 TB Trap Vent Reg. 12 ga. 28" Mod.	802-2963	282.95
5306	1100 TB Trap Vent M.C. 12 ga. 30" Full	802-3004	295.25
5290	1100 TB Trap Vent M.C. 12 ga. 30" Mod.	802-2998	295.25
5314	1100 TB Trap Vent M.C. 12 ga. 28" Full	802-3046	295.25
5318	1100 TB Trap Vent M.C. 12 ga. 28" Mod.	802-3087	295.25
5308	1100 Deer Gun wtih Sights 12 ga. 22" Imp. Cyl.	802-3095	227.75
5228	878A Plain 12 ga. 30" Full	802-1610	159.50
5230	878A Plain 12 ga. 28" Full	802-1628	159.50
5232	878A Plain 12 ga. 28" Mod.	802-1636	159.50
5234	878A Vent 12 ga. 30" Full	802-1651	184.50
5236	878A Vent 12 ga. 28" Full	802-1669	184.50
5238	878A Vent 12 ga. 28" Mod.	802-1677	184.50
4876	870 AP Plain 12 ga. 30" Full	802-0646	104.95
4878	870 AP Plain 12 ga. 28" Full	802-0687	104.95
4880	870 AP Plain 12 ga. 28" Mod.	802-0729	104.95

Remington ·1969

MODEL	DESCRIPTION	HOWDEN NUMBER	RETAIL
5500	66 MB Nylon .22 Auto. Mohawk Brown	801-8202	69.95
5486	66 AB Nylon .22 Auto. Apache Black	801-8244	77.25
5596	550A .22 Auto. Rifle	801-8400	84.25
5608	552A .22 Auto. Rifle	801-8442	91.25
9830	552 BDL .22 Auto. Rifle Deluxe	801-8459	105.25
9852	580 Bolt Action .22 Single Shot	801-8269	50.75
9854	581 Bolt Action .22 Clip Repeater	801-8277	65.25
9856	582 Bolt Action .22 Tube Repeater	801-8293	72.50
5626	572A Pump Action .22 Repeater	801-8483	91.25
9832	572 BDL Pump Action .22 Repeater Deluxe	801-8491	105.25
9618	660 Bolt Action Carbine .222 Rem.	801-9408	147.75
9622	660 Bolt Action Carbine .243 Win.	801-9424	147.75
9620	660 Bolt Action Carbine 6 m/m Rem.	801-9416	147.75
9624	660 Bolt Action Carbine .308 Win.	801-9432	147.75
9626	660 Bolt Action Carbine .350 Rem. Mag.	801-9473	184.50
9632	742 Semi-Auto. Rifle 6 m/m Rem.	801-9697	199.25
9648	742 Semi-Auto. Rifle .243 Win.	801-9747	199.25
9634	742 Semi-Auto. Rifle .280 Rem.	801-9705	199.25
9638	742 Semi-Auto. Rifle .308 Win.	801-9739	199.25
9636	742 Semi-Auto. Rifle .30-06	801-9713	199.25
9672	742 Semi-Auto Carbine.308 Win.	801-9770	199.25
9670	742 Semi-Auto Carbine .30-06	801-9754	199.25
9640	742 BDL Semi-Auto Rifle Deluxe .308 Win.	801-9671	221.50
9666	742 BDL Semi-Auto Rifle Deluxe .30-06	801-9663	221.50
9724	760 Pump Action Rifle .223 Rem.	802-0018	174.50
5900	760 Pump Action Rifle 6 m/m Rem.	802-0109	174.50
9678	760 Pump Action Rifle .243 Win.	802-0026	174.50
9726	760 Pump Action Rifle .270 Win.	802-0034	174.50
9732	760 Pump Action Rifle .308 Win.	802-0067	174.50
9730	760 Pump Action Rifle .30-06	802-0059	174.50
9714	760 Pump Action Carbine .308 Win.	802-0091	174.50
9698	760 Pump Action Carbine .30-06	802-0075	174.50
9708	760 BDL Pump Action Rifle Deluxe .270 Win.	801-9986	196.95
9706	760 BDL Pump Action Rifle Deluxe .308 Win.	801-9994	196.95
9692	760 BDL Pump Action Rifle Deluxe .30-06	801-9978	196.95

Remington ·1969

MODEL	DESCRIPTION	HOWDEN NUMBER	RETAIL
4898	870 AP Vent 12 ga. 30" Full	802-0448	134.95
4900	870 AP Vent 12 ga. 28" Full	802-0489	134.95
4902	870 AP Vent 12 ga. 28" Mod.	802-0521	134.95
5046	870 ADL Plain 12 ga. 30" Full	802-1057	135.25
5048	870 ADL Plain 12 ga. 28" Full	802-1065	135.25
5050	870 ADL Plain 12 ga. 28" Mod.	802-1073	135.25
5056	870 ADL Plain 16 ga. 28" Full	802-1099	135.25
5058	870 ADL Plain 16 ga. 28" Mod.	802-1107	135.25
5064	870 ADL Plain 20 ga. 28" Full	802-1115	135.25
5066	870 ADL Plain 20 ga. 28" Mod.	802-1131	135.25
4948	870 ADL Plain 410 ga. 25" Full	802-0901	147.75
4950	870 ADL Plain 410 ga. 25" Mod.	802-0919	147.75
4978	870 ADL Plain 410 ga. 25" Imp. Cyl.	802-0935	147.75
5196	870 ADL Vent 12 ga. 30" Full	802-0810	166.25
5198	870 ADL Vent 12 ga. 28" Full	802-0828	166.25
5200	870 ADL Vent 12 ga. 28" Mod.	802-0836	166.25
5206	870 ADL Vent 16 ga. 28" Full	802-0851	166.25
5208	870 ADL Vent 16 ga. 28" Full	802-0869	166.25
5214	870 ADL Vent 20 ga. 28" Full	802-0877	166.25
4932	870 ADL Vent 28 ga. 25" Imp. Cyl.	802-0976	178.50
4990	870 ADL Vent 410 gal. 25" Imp. Cyl.	802-1016	178.50
4872	870 ADL Magnum Plain 12 ga. 30" Full	802-1321	159.95
5176	870 ADL Magnum Plain 20 ga. 28" Full	802-1396	159.95
4922	870 ADL Magnum Vent 12 ga. 30" Full	802-1404	190.75
5146	870 ADL Magnum Vent 20 ga. 28" Full	802-1487	190.75
5128	870 SA Skeet 12 ga. 26" SK	802-1149	172.25
4926	870 TB Trap 12 ga. 30" Full Reg.	802-1560	215.25
5006	870 TB Trap 12 ga. 30" Mod. Reg.	802-1552	215.25
4906	870 TB Trap 12 ga. 30" Full M.C.	802-1586	227.75
5034	870 TB Trap 12 ga. 30" Mod. M.C.	802-1594	227.75
4938	870 T.C. Trap 12 ga. 30" Full	802-1529	307.75
5026	870 "Deer Gun" Standard 12 ga. 20" Imp. Cyl.	802-0406	135.25
4988	870 "Deer Gun" Brushmaster 12 ga. Imp. Cyl.	802-0364	159.95

Remington ·1969

MODEL	DESCRIPTION	HOWDEN NUMBER	RETAIL
9722	788 Bolt Action Clip Rep. Rifle .222 Rem.	801-9622	110.75
9736	788 Bolt Action Clip Rep. Rifle .22-250 Rem.	801-9630	110.75
9784	788 Bolt Action Clip Rep. Rifle 6 m/m Rem.	801-9614	110.75
9782	788 Bolt Action Clip Rep. Rifle .243 Win.	801-9606	110.75
9738	788 Bolt Action Clip Rep. Rifle .30-30 Win.	801-9648	110.75
9780	788 Bolt Action Clip Rep. Rifle .308	801-9598	110.75
9740	788 Bolt Action Clip Rep. Rifle .44 Rem. Mag.	801-9655	110.75
6052	700 ADL Bolt Action Rifle .222 Rem.	801-8970	167.95
6054	700 ADL Bolt Action Rifle .22-250 Rem.	801-8954	167.95
6056	700 ADL Bolt Action Rifle 6 m/m Rem.	801-9051	167.95
6058	700 ADL Bolt Action Rifle .243 Win.	801-9093	167.95
6062	700 ADL Bolt Action Rifle .270 Win.	801-9135	167.95
6076	700 ADL Bolt Action Rifle .308 Win.	801-9259	167.95
6078	700 ADL Bolt Action Rifle .30-06	801-9218	167.95
6060	700 ADL Bolt Action Rifle .264 Win. Mag.	801-9291	186.50
6074	700 ADL Bolt Action Rifle 7 m/m Rem. Mag.	801-9333	186.50
6038	700 BDL Bolt Action Rifle .222 Rem.	801-8616	192.50
6080	700 BDL Bolt Action Rifle .22-250 Rem.	801-6080	192.50
6082	700 BDL Bolt Action Rifle 6 m/m Rem.	801-8699	192.50
6084	700 BDL Bolt Action Rifle .243 Win.	801-8731	192.50
6088	700 BDL Bolt Action Rifle .270 Win.	801-8756	192.50
6100	700 BDL Bolt Action Rifle .308 Win.	801-8830	192.50
6102	700 BDL Bolt Action Rifle .30-06	801-8814	192.50
6086	700 BDL Bolt Action Rifle .264 Win Mag.	801-8897	210.95
6098	700 BDL Bolt Action Rifle 7 m/m Rem. Mag.	801-8939	210.95
6116	700 BDL "VARMINT'' Bolt Action Rifle .222 Rem.	801-8533	210.95
6118	700 BDL "VARMINT" Bolt Action Rifle .22-250 "	801-8517	210.95
6122	700 BDL "VARMINT" Bolt Action Rifle 6 m/m Rem.	801-8590	210.95
6124	700 BDL "VARMINT" Bolt Action Rifle .243 Win.	801-8509	210.95
5322	1100 Plain 12 ga. 30" Full	802-1883	199.95
5320	1100 Plain 12 ga. 28" Full	802-1925	199.95
5326	1100 Plain 12 ga. 28" Mod.	802-1966	199.95
5328	1100 Plain 12 ga. 26" Imp. Cyl.	802-2006	199.95
5370	1100 Plain 16 ga. 28" Full	802-2048	199.95
5374	1100 Plain 16 ga. 28" Mod.	802-2089	199.95
5390	1100 Plain 20 ga. 28" Full	802-2121	199.95
5394	1100 Plain 20 ga. 28" Mod.	802-2147	199.95
5332	1100 Vent 12 ga. 30" Full	802-2188	233.75
5330	1100 Vent 12 ga. 28" Full	802-2220	233.75
5336	1100 Vent 12 ga. 28" Mod.	802-2261	233.75
5338	1100 Vent 12 ga. 26" Imp. Cyl.	802-2303	233.75